



Get Started with Ennov InSight 7.3

Contents

Get Started with Ennov InSight	1
Log On to Ennov InSight	2
Home Page.....	3
Navigation Pane.....	4
Family Tree.....	5
Country Tree.....	6
NOT DEFINED Node.....	6
Tree Filter.....	7
Filter Tree Entities.....	8
I Am Looking To.....	9
Create a New.....	9
Update.....	10
I Want To Go To.....	11
My Favorites.....	11
Recently Viewed.....	11
My Activities.....	13
Alert Center.....	14
System Alerts.....	14
Create a System Alert Using the New Menu.....	15
Create a System Alert in the I Am Looking To Pane.....	15
Update a System Alert.....	16
Delete a System Alert.....	16
Notification Alerts.....	16
Create a Notification.....	17
Create Notification Wizard.....	17
Create Notification Wizard: Choose Notification Type.....	18
Use the Create Notification Wizard.....	21
Modify a Notification.....	22
Delete a Notification.....	23

Task Alerts.....	23
Delete a Task Alert.....	24
Activity Alerts.....	24
XEVMPD Alerts.....	25
Export Alert Entities to Excel.....	26
Remove an Alert from the Alert Center.....	26
Menus.....	28
Search.....	29
Search Entities.....	30
Search for an Entity Type.....	30
Search for Entities that Include Specific Text Attributes.....	31
Term Search.....	31
Dose Form Search.....	31
Substance Search.....	32
Favorites.....	34
View List of Favorites.....	35
Add a Favorite.....	35
Favorite Entity Types.....	35
Modify a Favorite.....	36
Remove a Favorite.....	36
Remove a Favorite Using the Manage Favorites Option.....	37
Remove a Favorite While Viewing the Entity.....	37
Wizards.....	37
New Menu.....	38
Find Menu.....	39
Find vs. Search.....	40
Find Entities.....	40
Entity Trail Navigation.....	41
Icons.....	42
Icons Reference.....	42
Special Characters.....	52

Multi-Select Lists.....	53
Set Date Attributes.....	54
Tables.....	55
Sort Columns.....	55
Customize Columns.....	56
Column Width.....	56
Column Position.....	56
Hide Columns.....	56
Navigate Pages of Table Data.....	57
Hyperlinks.....	57
Reference Links.....	57
Filters.....	58
Group Filters.....	58
Filter Group Examples.....	58
Filter Operators.....	59
Filter Symbols.....	60
Set Filter.....	60
Set Filter Options.....	61
Set Filter Criteria.....	61
Modify a Filter.....	62
Clear a Filter.....	62
Export to Excel.....	62
Export Records to Excel.....	63
Discussion Threads.....	64
Configurable Browse and Link.....	65
Electronic Signatures (E-Signature).....	66
Save an Electronic Signature (E-Signature).....	66
Ennov InSight License Components.....	68
License Modules: Product Families, Clinical Trial Shared Data.....	69
License Modules: Products, Pharmaceutical Products.....	69
License Modules: Registrations, Full Product Presentations, Registration FPP Attachments and FPP Previous EV Codes.....	70

License Modules: Registration Attachment.....	71
License Modules: Applications.....	71
License Modules: Comparators.....	72
License Modules: Events.....	72
License Modules: Sequences.....	73
License Modules: Product Detail Sets (PDS).....	73
License Modules: Assembly Types.....	74
License Modules: Activity Workflow.....	74
License Modules: Projects.....	75
License Modules: Tasks, Notifications, and References.....	75
License Modules: Change, Change Details.....	75
License Modules: Reports.....	76
License Modules: Approval Management.....	77
License Modules: Submittal Management and Lifecycle.....	77
License Modules: General Assembly.....	78
License Modules: Planning and Tracking.....	79
License Modules: Review and Approval.....	79
License Modules: Document Analysis.....	80
License Modules: General Publishing.....	80
License Modules: eCTD Publishing.....	81
License Modules: Paper Publishing.....	82
License Modules: Administration.....	83
Index.....	84

Get Started with Ennov InSight

Ennov InSight 7.3 is a comprehensive Web-based software application that supports the entire regulatory product management lifecycle from the early planning of registration targets through product retirement.

It is invaluable for regulatory planning, product detail management, dossier creation, dossier management, project planning, and more.

The Ennov InSight publishing solution simplifies, automates, and accelerates the entire regulatory publishing process. Offering the richest functionality, powerful tools, and a single, easy-to-use interface, Ennov InSight enables you to quickly and easily create, review, and amend regulatory dossiers and submit them for market approval.

Log On to Ennov InSight

You log on to Ennov InSight to access documents and applications associated with clinical trials. Your access to functionality and modules in the system is based on your security permissions.

To log on:

1. Navigate from the desktop to the Ennov InSight *Login* page.

If you do not know your user name or password, contact your system administrator.

2. In the **Username** field, enter your user name.
3. In the **Password** field, enter your password.
4. **Login**.

The Ennov InSight *Home Page* appears.

Home Page

The *Home Page* is the central location for accessing or viewing Ennov InSight entities, such as projects or tasks.

The available *Home Page* content depends on your user role and how your organization configures Ennov InSight settings.

Several tools are available on the *Home Page* and throughout the application, including:

- Menus
- Navigation
- Alert Center
- I Want To Go To
- I Am Looking To

Homepage Display Properties



The labels for title bars, menus, tooltips, and the **I am Looking To** section displayed on the *Home Page* can be modified in Data Administration by your system administrator or other authorized person.

The functions and wizards that are available to you on the *Home Page* depend on your license modules and the Home Page Access settings in System Administration.

Navigation Pane

Use the *Navigation Pane* to access Ennov InSight entities.

The *Navigation Pane* has two display modes:

- **Select Entity List** icon -  - displays entities in a list view by entity type.
- **Select Trees** icon -  - displays entities hierarchically either by product family or countries.

List view provides links to:

- My Home
- Product Families
- Registrations
- Applications

Note: Applications without products associated appear in the NOT DEFINED node.

- Events
- Full Product Presentations
- Sequences
- Submission Plans
- Standalone Assemblies
- Assembly Templates
- Publishing Templates
- Submitted Views
- Approved Views
- My Tasks
- Projects
- Changes
- Comparators
- Registration Attachments
- System Alerts
- Activities

Tree view shows the Product Family tree or the Countries tree by using the **Select Trees** option.

Navigation trees provide an easy way to locate specific information in the system:

- **Family Tree** -- lists product families that are available to you in the system.
- **Country Tree** -- lists countries that are associated with the available product families.

— **NOT DEFINED** node lists applications not associated to any products.

The Family Tree and the Country Tree are hierarchical and consist of nodes with dependent subnodes.

The **Filter Criteria (Search Option)** enables you to see entities in the Family Tree and Country Tree that contain the filter criteria entered.

In the tree view, the hierarchical display represents the relationship type. The terms parent, child, and sibling are used to specify the relationship types.

- Parent indicates a higher-level node or attribute that has related subnodes.
- Child nodes appear below and slightly to the right of the parent node indicating a relationship.
- Sibling nodes are equal in ranking, sharing a parent node.
- A child node can be a parent node for related subnodes.

Each product family node is the child of the Home parent node, yet each product family node is also the parent of one or more entities, such as applications, and events.

You can click the arrow next to any node to expand or collapse areas of the navigation tree. Click any node in the tree to view the attributes page for the entity represented by the selected node. The details appear in the pane to the right of the navigation tree.

You can expand child node by clicking right mouse button on the needed Product Family or Country entity and select **Expand Range** option.

Tip: You can expand or reduce the size of the navigation tree pane. Hovering your pointer over the border between panes changes your cursor, indicating that you can press your left mouse button and drag the pane to the appropriate size.

Family Tree

On the *Home Page* navigation pane, the Family Tree displays a hierarchical view of product families and their associated country, application, event, and sequence entities. Product families appear in alphabetical order, providing quick access to entities.

The high level view of the navigation tree lists product families as child nodes of the **Home** folder.

When using the Product Family Tree:

- Expand the family tree view by clicking the arrow. Click the subnodes to view specific attribute details.
- Associated countries, applications, events, and sequences are child nodes of the product families.
- Same Applications with their children in the tree will be displayed under Product Families when associated to multiple Product Families through the Product.
- Only active events associated with countries and active sequences appear in the Product Family Tree.
- Events are displayed alphabetically under the product family. When a sequence is associated with multiple events, this sequence is displayed in the tree as a child node of each associated event.

- For all open events, all sequences associated with the event are displayed in descending order, regardless of status. The descending order is based on the last change date with the most current appearing at the top.
- Only applications with a status that is equivalent to the internal status of `Planned`, `Submitted`, or `Approved` are displayed. Applications are not displayed if their status is the internal equivalent of `Withdrawn` or `Not Approved`.

Country Tree

On the *Home Page* navigation pane, the **Country Tree** displays a hierarchical view of product family, application, event, and sequence entities grouped by country.

The Country Tree lists countries in alphabetical order and enables quick access to entities.

When using the County Tree:

- Open the country node range by clicking the arrow next to each subnode to view specific attribute details.
- Product families, applications, events, and sequences are child nodes of the country node.
- Same Applications with their children in the tree will be displayed under Product Families which are placed under Countries when associated to multiple Product Families through the Product.
- Only active applications are included in the tree, and they are displayed alphabetically. Applications with a status equivalent to the internal status of `Not Approved` or `Withdrawn` are not displayed.
- For MRP and DCP procedures, the applications appear at the next level below the country node.
- For CP procedures the country is the European Union, not a specific country associated with the application.
- Only open events associated with countries appear in the navigation tree.
- Only open sequences appear in the navigation tree.
- Sequences associated with a country appear as child nodes of that country.
- If a sequence is associated with an event, the sequence appears as its child node. If the sequence is not associated with an event, it appears as a sibling to other open events and a child of the application.

NOT DEFINED Node

The applications without products and product families associated appear in the **NOT DEFINED** node.

On selecting **Select Entity Trees > Product Family** or **Countries**, the high level view of the navigation tree lists the **NOT DEFINED** node with applications without products and product families as child node of the **Home** folder. Following are the conditions are under which the TOC elements for displayed.

- The **NOT DEFINED** node is displayed for the applications without products and product families at the bottom of the **Product Family** tree for all the product families that have **Yes** value for the **Show in Tree** field.
- The **Country** nodes are displayed in alphanumeric order under the **NOT DEFINED** node.
- The **Application** nodes are displayed in alphanumeric order under the **Country** node of the **NOT DEFINED** node of the **Product Family** tree.

- Only applications with a status that is equivalent to the internal status of `Planned`, `Submitted`, or `Approved` are displayed. Applications are not displayed if their status is equivalent to the internal status of `Withdrawn` or `Not Approved`.
- Only active events are displayed under the **Application** node.
- When a sequence is created as a child of an application, the sequence is displayed under the **Application** node.
- When a sequence is associated with multiple events, this sequence is displayed in the tree as a child node of each associated event.
- For all open events, all sequences associated with the event are displayed in descending order regardless of the status. The descending order is based on the last change date with the most current appearing at the top.

Tree Filter

The **Tree Filter** option on the *Navigation Pane* can be used to find a specific entity in the Product Family tree or the Country tree.

When the filter is applied, only entities that contain the filtering criteria are displayed in the tree.

The filter can be applied for entity names only. It is located on the *Navigation Pane*, and is available from the *Product Family tree* or the *Country tree* view.

You can use the following as filter values:

- Product Family name
- Application name
- Event name
- Sequence name

Your previous 10 filter criteria will persist after you log off and then log on to the system again, listed in order from the most recent to the oldest.

You must enter a minimum of 2 characters to enable filtering. You can enter a maximum of 250 characters in the **Filter** field. If you enter more than 250 characters, the filter value is highlighted and a warning message appears.


The number of matching entities displayed can be limited by defining a value in the `insight.var` file. When the search results exceed the number defined in the `insight.var` file, a message appears with the number of entities that match the search criteria and the number of entities that will be displayed.

Note: *The number of matching entities displayed can be limited by defining a value in the `insight.var` file. When the search results exceed the number defined in the `insight.var` file, a message appears with the number of entities that match the search criteria and the number of entities that will be displayed.*

Filter Tree Entities

The **Tree Filter** function on the *Navigation Pane* enables you to filter the displayed entities to find an entity in the Product Family tree or Country tree.

To filter entities:

1. Type filter criteria in the **Filter** field.
You can enter up to 250 characters in the **Filter** field.
2. Press **Enter** or click **Search** .

Example

If you enter Ovardin in the filter field for Product Family, the system displays the entity you are searching for with all nodes that matches the filter values expanded.

Any tree node that matches the filter criteria is automatically displayed in the tree.

If only the product family name matches the filter values, its subnodes are not expanded.

3. To clear a filter and reset the tree to its default state, click **Reset Filter** .

I Am Looking To

The **I Am Looking To** section on the *Home Page* provides easy access to wizards used for creating and updating entities.

The entities are available according to your role and security permissions in the system. You have an ability to minimize, maximize or hide the window. The terminology used for these features may differ in your system as Administrators do have the ability to configure certain terms.

Create a New

The **Create a New** section provides access to wizards developed for ease of use in performing create actions in Ennov InSight . The wizards available to you depend on your product license and your user role.

Update

The **Update** section provides access to wizards developed for ease of use in performing update actions in Ennov InSight . The wizards available to you depend on your product license and your user role.

Create a New

The **Create a New** section in the *I Am Looking To* pane on the *Home Page* provides access to wizards developed for ease of use in performing **create** actions in Ennov InSight .

The wizards available to you depend on your product license and your defined user role in the system. The terminology used for these features may differ in your system as Administrators do have the ability to configure certain terms.

The **Create a New** function provides an easy way to create:

- Application
- Assembly Template
- Bulk eCTD Import
- Comparator
- Global Project Plan
- Notification
- Publishing Setting Library Template
- Registration Attachment
- Standalone Assembly
- Submission
- Submission Plan
- System Alert
- Timeline/Event Plan
- XEVMPD Submission

When you click on the entity that you want to create, the system launches the appropriate creation wizard.

In the Global Project Plan you can:

- Create New Events Package Set Registration
- Update Product Detail Sets
- Create New Applications Package Set Registration
- Create New Events Product Registration
- Withdraw Product Package Set Registration
- Clinical Trial

Update

The **Update** section in the *I Am Looking To* pane on the *Home Page* provides access to wizards developed for ease of use in performing **update** actions in Ennov InSight .

The wizards available to you depend on your product license and your defined user role in the system. The terminology used for these features may differ in your system as Administrators do have the ability to configure certain terms.

The **Update** function provides an easy way to update:

- Applications
- Status
- XEVMPD Acknowledgement

When you click on the entity that you want to update, the system launches the appropriate *Updating Wizard*.

After the update action is completed, the system will return to the *home* page.

I Want To Go To

The **I Want To Go To** section on the *Home Page* provides quick access to the entities you use. It includes tabs for accessing recently viewed entities and entities flagged as favorites.

The entities are customizable in Data Administration, and are available according to your role and security permissions in the system. You can minimize or maximize the size of the **I Want To Go To** section, or simply hide it.

My Favorites

The **My Favorites** list displays saved hyperlinks to selected entity attribute pages for quick access to those pages you return to most often.

Recently Viewed

The **Recently Viewed** list displays hyperlinks to entities that you have recently viewed or edited. The listed entities are specifically associated with your account and are not shared with others. You must have **READ** or higher permissions to use the Recently Viewed function.

My Activities

The **My Activities** list displays hyperlinks to activities that are active and assigned to you. You must have at least **READ** permission for Activities within the entity security to be able to view the activities.

My Favorites

The **Favorites** tab enables you to quickly return to the entities and entity details that you frequently use in Ennov InSight .

Each entity flagged as a favorite appears in the **Favorite** tab on the *Home Page*. All entities in the **Favorites** list are hyperlinks. The list is presented in alphabetical order sorted by the entity type and then by entity name within the entity type. The order cannot be changed. You can go to the entity attributes page by clicking on its name in the **Favorites** list.

You can modify or delete **Favorites** links.

Recently Viewed

The **Recently Viewed** tab in the **I Want To Go To** section on the *Home Page* lists the entities that you have viewed when logged on to Ennov InSight , and provides an easy way to return to the entities you have used recently. You can see recently viewed or recently deleted entities according to your role and permissions in the system.

Each entity name is a hyperlink, with some additional information displayed below the name. You can click the entity name to go to the entity attributes page.

The list of entities is presented in descending order with the most recently viewed entity at the top. The oldest viewed entities are deleted automatically as you add more.

The default number of displayed entities is 10.

All entities displayed in the **Recently Viewed** tab are user specific and are not shared with the other users.

- Activity
- Application
- Active Ingredient
- Attached Document for Medicinal Product Actions
- Change
- Change Detail
- Component
- CT Shared Data
- Event
- Full Product Presentation
- FPP Previous EV Code
- Manufactured Item
- Medicinal Product
- Medicinal Product Actions
- Medicinal Product Name
- MPID
- Orphan Designations
- Package Description for Registration Package Set
- PCID
- Pharmaceutical Product
- PhPID
- PMSID
- Product
- Product Cross-Reference
- Product Family
- Project
- Reference Active Ingredient
- Reference Substance
- Registration
- Registration FPP Attachment
- Sequences
- Substance
- Submission Plan
- Task/Sub-Tasks
- View Reference

My Activities

The **My Activities** tab in the **I Want To Go To** section on the *Home Page* lists the active activities that are assigned to you in Ennov InSight .

The activities in the list are sorted based on the earliest Due Date values, followed by activities with highest priority and then on the alphabetical order of the activity names. Each activity name is a hyperlink which navigates to an activity's page.

You must have at least READ permission for Activities within the entity security to be able to view the activities.

Alert Center

The **Alert Center** on the *Home Page* enables users to view Administrative Alerts, Notification based Alerts, and Task Alerts for the user logged into the system.

Administrative Alerts and Notification based Alerts can be distributed to Ennov InSight users and groups. Task Alerts are distributed to the Primary Assignee for an open Task.

Users will have the ability to view and remove the following in the Alert Center:

- Administrative Alerts
- Task Alerts
- Notification Alerts

System Alerts

The System Alert entity provides the ability to create and distribute important messages to Ennov InSight users and groups.

System Alerts can be created by users with at least `WRITE` permissions to the System Alert entity. The permissions are set in Ennov InSight Security Administration.

System Alerts are displayed in the Alert Center on the Effective Date set for the Alert. They are displayed for the recipients of the Alert and will automatically be removed from the Alert Center on the Expiration Date set for the Alert.

The System Alert attributes in the Alert Center include:

- Name
- Priority
- Effective Date
- Expiration Date

Removing a System Alert from your Alert Center does not affect that alert for other users. After a System Alert is removed from your Alert Center, it can only reappear in your Alert Center if Priority, Message Text, or Effective Date is modified. The modified System Alert will appear after the Alert Center is refreshed.

System Alerts can be refreshed, sorted, filtered, or exported to Excel. The default sort for System Alerts is the Valid Until date (nearest expiration date at the top) and Priority.

Create a System Alert Using the New Menu

The **System Alert** entity provides the ability to create and distribute important messages to Ennov InSight users and groups.

System Alerts can be viewed and modified from the **System Alerts** tab located in the list view of the *Navigation* pane. System Alerts can be created by users with `WRITE` or `ADMIN` permissions only. System Alerts, when distributed are displayed in the Alert Center on the Ennov InSight *Home Page*.

To create a System Alert using the **New** menu:

1. On the Ennov InSight menu bar, select **New > System Alert**.
2. On the *Create System Alert* window, enter attributes for the system alert.
Required fields are indicated by an asterisk.
3. Click **Save**.

Your newly created System Alert will appear in the **Alert Center** on the Effective Date for the Alert for the specified users or groups. The *System Alert attributes* page appears.

You can create a System Alert without assigning recipients. It will appear in the **System Alert** tab and can be distributed at a later time. After recipient users or groups are assigned, the system alert is distributed and viewable by those recipients.

System Alerts are not automatically synchronized with an IdP and therefore will only be distributed to users in a group that were in the group when it was selected for the System Alert. If users have been added to a group after a System Alert using that group has been created, you can modify the Alert, remove the group, and save the Alert. Then modify the Alert once more and re-add the group.

Create a System Alert in the I Am Looking To Pane

The **System Alert** entity provides the ability to create and distribute important messages to Ennov InSight users and groups.

System Alerts can be viewed and modified from the **System Alerts** tab located in the list view of the *Navigation* pane. System Alerts can be created by users with `WRITE` or `ADMIN` permissions only. System Alerts, when distributed are displayed in the Alert Center on the Ennov InSight *Home Page*.

To create a System Alert using the **Create a New...** option in the *I Am Looking To* pane:

1. In the *I Am Looking To* pane on the Ennov InSight *Home Page*, select **Create a New... > System Alert**.
2. On the *Create System Alert* window, enter attributes for the system alert.
Required fields are indicated by an asterisk.
3. Click **Save**.

Your newly created System Alert will appear in the Alert Center on the Effective Date for the Alert for the specified users or groups. The *System Alert attributes* page appears.

You can create a System Alert without assigning recipients. It will appear in the **System Alert** tab and can be distributed at a later time. After recipient users or groups are assigned, the system alert is distributed and viewable by those recipients.

System Alerts are not automatically synchronized with an IdP and therefore will only be distributed to users in a group that were in the group when it was selected for the System Alert. If users have been added to a group after a

System Alert using that group has been created, you can modify the Alert, remove the group, and save the Alert. Then modify the Alert once more and re-add the group.

Update a System Alert

System Alerts can be updated by users with `WRITE` or `ADMIN` permissions only.

System Alerts are important messages that can be distributed to Ennov InSight users and groups and will appear in the Alert Center on the *Home Page*.

To update a System Alert:

1. Go to the **System Alert** tab on the navigation pane to view the list of System Alerts, then select the Alert you want to update.
2. On the *System Alert Attributes* page, click the **Modify** icon and update the attributes.
3. Click **Save**.

System Alerts are distributed on the Effective Date for the Alert. Alerts will only be re-distributed to the Alert Center if Priority, Message Text, or Effective Date is modified. The modified System Alert will appear after the Alert Center is refreshed.

The *System Alert* attributes page will be displayed.

Delete a System Alert

System Alerts are important messages that can be distributed to Ennov InSight users and groups. Deleting a System Alert stops the distribution of the message.

System Alerts can be deleted by users with `ADMIN` permissions only.

To delete a System Alert:

1. Go to the **System Alert** tab on the navigation pane to view the list of System Alerts, then select the Alert you want to delete.
2. On the *System Alerts attributes* page, click the **Delete** icon.
3. On the warning message that appears, click **OK**.
The System Alert entity is deleted. The recently deleted System Alert is no longer listed in the Alert Center on the *Home Page* for the specified users or groups.

Notification Alerts

Notification Alerts are Ennov InSight entity notifications that are distributed to a users Alert Center on the home page. When the Ennov InSight Notificaton or Notification Specification has been setup to send notifications to the Alert Center they will be displayed in the Alert Center when the Notifications have been triggered.

Notifications sent to the Alert Center display the following information:

- Notification Name - Hyperlink to the Alert Message text. You can view the Notification Alert details by clicking the Name in your Alert Center.
- Priority - The priority will allways display as "Low" for notification based alerts.

- Effective Date - The date when the Notification is triggered.
- Expiration Date - The date when the notification is automatically removed from your Alert Center. The expiration date for notification alerts in the Alert Center is 120 days from the effective date.

The message text in the center pane differs depending on the type of the notification:

- When the date approaches or passes - Your notification is triggered when a date approaches or passes.
- When a record is created - Your notification is triggered when a new record is created.
- When a status changes to a specific value - Your notification is triggered when a status changes to a specific value.
- When a value changes - Your notification is triggered when a value changes.

Removing a Notification Alert from your Alert Center does not affect that alert for other users.

Notification alert entities in the Alert Center can be refreshed, sorted, filtered, or exported to Excel.

Create a Notification

You can create notifications using either the *Create Notification* wizard or the **Notification** option in the **I Am Looking To > Create A New** section on the *home page*.

You must have the appropriate security privileges to create, modify, and view notifications. Only users with administrative privileges for notifications can create a global notification.

- If you launch the *Create Notification* wizard from the *home page*, you can select a Ennov InSight entity and create a notification.
- If you launch the wizard while viewing an entity, you can create an instance notification or a global notification for the entity you are viewing.

Create Notification Wizard

The *Create Notification* wizard enables you to create a Global Notification Specification or an instance Notification for a specific entity.

The *Create Notification* wizard can be started from several locations:

- **Wizards** menu
- **I Am Looking To > Create a New > Notification** on the *Home Page*
- **Notifications** tab on the *entity attributes* page

Note: *You can create XEVMPD Acknowledgement Import notification only using Wizards menu.*

The *Create Notification* wizard guides you through the following steps to create a notification:

- Choose Notification Type
- Specify Entity Specific Information
- Select Rule Settings and Delivery Destinations
- Mail Settings
- Create Notification Confirmation

— Create Notification Summary

Create Notification Wizard: Choose Notification Type

On the *Choose Notification Type* page you can set the following attributes for the notification:

Attribute	Description
Entity Type	The entity for which you create the notification. If you choose to create a specification, the field is modifiable. If you create a notification on a specific instance of an entity, the field cannot be modified.
Descendant Type	Can be selected only for Event Country entity type. Enables you to choose the Event Country Status Schedules.
Global Preset Notification	If selected, the notification will be sent not only for a specific entity, but for all entities of certain type.
Active	Identifies the status of the notification.
When a Value Changes	The notification of this type will be sent when a specific value of the entity changes.
When Status Changes to a Specific Value	The notification of this type will be sent when the status of a specific entity changes. This field is hidden by default for all the Product Family types.
When a Day Approaches or Passes	The notification of this type will be sent if the predefined number of days before or after a date approaches or passes.
When a Record is Created	The notification of this type will be sent when the entity of specific type is created.

The *Specify Entity Specific Information* page appears as modifiable if you selected the **Global Preset Notification** option. For this option **Product Family**, **Product**, **Product Component**, or **Application** can be selected. You can also choose the **Create Notification for any Type** option.

The *Select Rule Settings and Delivery Destinations* page differs depending on the option selected on the *Choose Notification Type* page.

If you select the **When a Value Changes** option or the **When Status Changes to a Specific Value** option, you need to specify:

Attribute	Description
Available Options	The value options for the specified entity. Required.
Email only	The notification will be sent to the user(s) and/or user group(s) e-mail addresses only.

Attribute	Description
Alert Center only	The notification will be sent to the user(s) and/or user group(s) Alert Center only.
Both Email and Alert Center	The Notification will be sent to the user(s) and/or user group(s) e-mail and Alert Center.

If you select the **When a Date approaches or Passes** option, you need to specify:

Attribute	Description
Available Options	The value options for the specified entity. Is a required field.
Days Before	The notification is sent in a predefined number of days before the date approaches.
Days After	The notification is sent in a predefined number of days after the date is achieved.
Days Repeating	The notification is sent for a predefined number of days after the date is achieved.
Email only	The notification will be sent to the user(s) and/or user group(s) by e-mail addresses only.
Alert Center only	The notification will be sent to the user(s) and/or user group(s) in the Alert Center only.
Both Email and Alert Center	The Notification will be sent to the user(s) and/or user group(s) by e-mail and to the Alert Center.

The **Mail Settings** page differs depending on the delivery mechanism selected on the **Select Rule Settings and Delivery Destinations** page. The required field common to all options is the **Subject** field.

E-mail Only

Attribute	Description
Notification Name	The name of your notification. Presented as a concatenation of the entity name and the entity value.
Subject	The subject of your notification. Required.
Comment	Enables you to share comments about the notification with others.
Send to Concerned Parties	The notification can be sent to the Ennov InSight user(s) listed as Concerned Parties for the Entity selected for the notification. <i>Note: This field is empty for XEVMPD Acknowledgement Import notification type.</i>

Attribute	Description
Also Send To	The notification will be sent to the email addresses entered or Ennov InSight user(s) selected for the notification.
CC Concerned Parties	Ennov InSight user(s) listed as Concerned Parties for the Entity selected can be CC'd on the email notification. <hr/> <i>Note: This field is empty for XEVMPD Acknowledgement Import notification type.</i>
Also CC	The notification will be CC'd to the email addresses entered or Ennov InSight user(s) selected for the notification.
BCC Concerned Parties	Ennov InSight user(s) listed as Concerned Parties for the Entity selected can be BCC'd on the email notification. <hr/> <i>Note: This field is empty for XEVMPD Acknowledgement Import notification type.</i>
Also BCC	The notification will be BCC'd to the email addresses entered or Ennov InSight user(s) selected for the notification.

Alert Center Only

Attribute	Description
Notification Name	The name of your notification. Presented as a concatenation of the entity name and the entity value.
Subject	The subject of your notification. Required.
Comment	Enables you to share comments about the notification with others.
Recipient User Groups	User groups who will receive the notification.
Recipient Users	Users who will receive the notification.

When the **Both E-mail and Alert Center** option is selected, the notifications are distributed to the user(s) email and the Alert Center.

Not all notification types are available for every entity. There are three entities for which the options are limited by the following:

- Pharmaceutical Product - When a Value Changes, When a Record is created
- Product Component - When a Value Changes, When a Record is created
- XEVMPD Acknowledgement Import - When a Value Changes

Use the Create Notification Wizard

From the Ennov InSight *Home Page*, you can create Global Notifications. From an *entity attributes* page, you can create either an instance Notification or a Global Notification.

To create a notification:

1. Start the *Create Notification* wizard:
 - From the *Home Page*, click **Wizards > Create Notification** or in the *I Am looking To* window **Create a New > Notification**. The *Choose Notification Type* page appears. Go to step 2.
 - From an *entity attributes* page, click **Wizards > Create Notification** or **Notifications tab > Create Notification** icon. The *Choose Notification Type* page appears. Go to step 3.
2. On *Choose Notification Type* page select the entity type if you started the Wizard from the *Home Page*.
3. On *Choose Notification Type* page select one of the available notification type options. Notification types include:
 - **When a Value Changes, When Status Changes to a Specific Value, When a Date Approaches or Passes, and When a Record is Created.**

*Note: The availability of these options for selection depends on the entity type selected, whether a descendant is selected, whether the notification is global, and the location from which you started the **Create Notifications** wizard. For example, **When a Record is Created** is not available for a specific instance notification.*

- To create a global notification, select **Global Preset Notification**, and then specify the type of notification you want to create.
 - To create a notification for a specific instance, do not select **Global Preset Notification**, just specify the type of notification you want to create.
4. Click **Next**.
The *Specify Entity Specific Information* page appears. One of the following occurs:
 - If you selected **Global Preset Notification** and you selected **Product Family, Product, Product Component, or Application** as the entity on the previous page, you must either select a specific entity type for notifications or check **Create Notification for any Type**.
 - If you did not select **Global Preset Notification** and **Product Family, Product, Product Component, or Application** as the entity, no input is required.
 5. Click **Next**. On the *Select Rule Settings* page, do the following based on the type of notification you are creating:
 - For a value change, select the attribute that will trigger a notification.
 - For a status change to a specific value, select the status change that will trigger a notification.
 - For a date notification, select the date that will trigger a notification, enter the number of days before the date to send a notification, enter the number of days after the date to send a notification, and enter how often the notification should be resent.
 6. Click **Next**.
 7. On the *Mail Settings* page, do the following:
 - a) Enter a subject line for the notification e-mail in **Subject**.

- b) Enter a comment to be sent with the notification in **Comment**.
This field is optional, but provides text for the email notification.
 - c) Select one or more entities whose associated users should receive the notification in **Concerned Parties**.
 - d) Optionally, enter the e-mail addresses of other users or click the **Search Person** icon to use the *e-mail browse* dialog box to add e-mail addresses in **Also Send To**.
Separate multiple e-mail addresses with a semi-colon (;). Special characters cannot be used in email addresses.
 - e) Optionally, make selections for **CC Concerned Parties / Also CC** and **BCC Concerned Parties / Also BCC**.
8. Click **Next**.
A confirmation page appears, listing the actions that will be taken.
 9. Click **Finish**.
After the Notification is triggered, it appears in the Alert Center for predefined users or groups, if this option was selected.

Modify a Notification

When modifying a notification you can activate or deactivate a notification, or change e-mail options for the notification.

A deactivated notification is not sent even when its criteria is met, however, the notification remains available for later use.

Note: Only an administrator can modify a global notification specification.

To modify a notification:

1. Navigate to the entity that has the notification you want to modify.
2. Click the **Notifications** tab.
3. Click the notification link.
The *Create Notification* wizard opens to the *Choose Notification Type* page.
4. To change the active status, click select or deselect the **Active** check box.
5. Click **Next**.
The *Specify Entity Specific Information* page opens. You can view the current setting, but cannot make changes.
6. Click **Next**.
The *Select Rule Settings* page opens. You can view the current setting, but cannot make changes.
7. Click **Next**.
The *Mail Settings* page opens.
8. Change the subject and e-mail recipients as needed.
The e-mail notification name is read-only and cannot be modified.
9. Click **Next**.
A confirmation page listing the revised notification attributes opens.
10. Click **Next**.

The *Create Notification Summary* page indicates that the notification is updated.

11. Click **Finish**.

*Note: You can select the notification from the **Notifications** tab for all entities except **XEVMPD Acknowledgement Import**. For this entity you need to select **Go To > Data Administration > Notification Specification**.*

Delete a Notification

You can delete notifications if you have the appropriate security privileges.

To delete a notification you have created:

1. Navigate to the entity associated with the notification that you want to delete.
2. Click the **Notifications** tab.
3. Click the notification.
The *Choose Notification Type* page opens.
4. Select the **Delete the Notification** option.
5. Click **Next** on each consecutive page.
The deletion is confirmed on the final page.
6. Click **Finish**.

*Note: The **XEVMPD Acknowledgement Import** notification can be deleted using **Go To > Data Administration > Notification Specifications** only.*

Task Alerts

The Alert Center enables users to quickly identify open tasks assigned to them with their due dates.

The Task name in the Alert Center is a hyperlink to the Task entity. Clicking the Task name navigates the user to the *Task attributes* page.

Alert Center task attributes:

- Task Name
- Status
- Due Date
- Task Type
- Secondary Task Type

Task alert entities can be refreshed, sorted, filtered, or exported to Excel. The default sort for tasks is the Task Due Date. The approaching due dates are displayed at the top.

When you remove a Task Alert from your Alert Center, it will still appear in the **My Tasks** tab. After a Task Alert is removed from your Alert Center, it can only reappear in your Alert Center if Task Status or Due Date is modified. The modified Task Alert will appear after the Alert Center is refreshed.

For more information about tasks, see *Tasks and Sub-tasks*.

Delete a Task Alert

You can remove Task Alerts from the Alert Center, or completely delete the task if it is no longer needed. Task Alerts are displayed in the **Alert Center** pane on the **Home Page**.

To delete the task:

1. Navigate to the **task attributes** page by clicking the task name in the **Alert Center** pane.
2. On the **task attributes** page, click the **Delete** icon.
3. On the confirmation message that appears, click **OK**.

The task attributes are deleted and the task alert no longer appears in the **Alert Center** pane.

Activity Alerts

The Alert Center enables users to quickly identify open activities assigned to them with their due dates. The Activity name in the Alert Center is a hyperlink to the Activity entity. Clicking the Activity name navigates the user to the **Activity attributes** page.

The activity attributes displayed in the Alert Center are as follows:

- Activity Name
- Status
- Due Date
- Task Type
- Secondary Task Type

Activity alert entities can be refreshed, sorted, filtered, or exported to Excel. The default sort for activities is the Activity Due Date. The approaching due dates are displayed at the top.

An Activity is automatically removed from the Alert Center when:

- a workflow is deleted
- a workflow is canceled when adding a sequence to life cycle
- an activity is completed
- an activity is unclaimed or transferred to another user

Note: *Activities are not removed from the Alert Center when they are paused. However, when the paused state changes, the activity will be displayed again.*

When you manually remove an Activity Alert from your Alert Center, it will still appear in the **My Activities** tab. After an Activity Alert is removed from your Alert Center, it can only reappear in your Alert Center provided that **Activity Status**, **Due Date**, or the **Paused** value is modified. The modified Activity Alert will appear after the Alert Center is refreshed.

XEVMPD Alerts

The information in the **Alert Center** screen and in email notifications regarding the XEVMPD Acknowledgement file import is presented as follows:


First screen with common information	Second screen after the Details hyperlink is selected from the Alert Center or from Email Notification
Entity Name: <Subject> from Notification Message Text: <Status of XEVMPD Acknowledgement fileimport> URL: Details <hyperlink to entity>	Import Result: EMA Acknowledgement file <file name> was processed //with error(s):...(if any errors appeared) Acknowledgement Message Name: <xml file name> Acknowledgement Message Date: <from XML file> Acknowledgement Message Type: <2 or 3> Entities Acknowledged: <ul style="list-style-type: none"> – Organisations: [number] <InSight entity Name coma delimited> – Sources: [number] <InSight entity Name coma delimited> – Attachments: [number] <InSight entity Name coma delimited> – Master File Locations: [number] <InSight entity Name coma delimited> – Pharmaceutical Forms: [number] <InSight entity Name coma delimited> – Routes of Administration: [number] <InSight entity Name comadelimited> – ATCs: [number] <InSight entity Name coma delimited> – Authorised Products: [number] <InSight entity Name coma delimited> – Errors: <error description if any appeared>

Note: If you want to receive a notification regarding the auto uploaded XML acknowledgement file you need to create an XEVMPD Import Result notification first.

Export Alert Entities to Excel

Ennov InSight enables you to export data related to System Alert, Task Alert, or Notification Alert entities to Microsoft * Excel * spreadsheets.

To export System Alert, Task Alert, or Notification Alert entities data to Excel:

1. Navigate to your **Alert Center** pane and click the **Export to Excel** icon  at the bottom of **System Alerts or Task Alerts** window.
2. Follow the prompts in the **File Download** dialog box.

System Alert attributes exported to Excel:

- Name
- Priority
- Effective Date
- Expiration Date

Task Alert Attributes exported to Excel:

- Task Name
- Status
- Due Date
- Task Type
- Secondary Task Type

Notification Alert attributes exported to Excel:

- Name
- Priority
- Effective Date
- Expiration Date


Once you apply any sorting to System, Task or Notification Alerts, the entities data will be exported the same way it is presented in the **Alert Center** pane. If the sort is default the list will be displayed with default sorting in the spreadsheet.

Remove an Alert from the Alert Center

Users will have the ability to remove an Alert from the Alert Center when they no longer want it displayed in the **Alert Center** window.

Task Alerts are presented in the top window of the Alert Center. The System Alerts and Notification based Alerts are displayed in the lower window of the Alert Center. Removing an Alert from the Alert Center does not delete the entity, it only removes if from the Alert Center window.

To remove an alert from the Alert Center:

1. In the *Alert Center* pane on the home page, select the alert to remove and click the **Remove from Alert Center** icon .
2. On the confirmation screen, click **OK**.
The selected alert is removed from the Alert Center.

Menus

The Ennov InSight menu bar appears throughout the user interface. The available menus and the options they provide is based on your security privileges.

Some menu options may be unavailable when you are viewing specific pages in the user interface.

Option	Description
Search	The Search menu enables you to locate entities for which you have security privileges using information available in certain text fields.
Go To	The Go To menu contains options that enable you to move quickly to different areas of Ennov InSight , including: <ul style="list-style-type: none"> – Activities - Accesses the My Activities, Unclaimed Activities, All Activities and Workflows tabs. – Querying - Accesses multiple queries currently in the system that you can select and run – Data Administration - Opens the <i>Data Administration</i> page, which contains links to specify the options available for selection by users (available only for administrators) – Security Administration - Opens the <i>Security Administration</i> page for adding users, groups, and roles, and specify security privileges (available only for administrators) – Technical Administration - Opens the <i>Technical Administration</i> page for creating and maintaining document repositories and servers (available only for administrators) – Job Requests - Enables administrators to monitor all queued publishing job requests
Find	The Find menu enables you to search for specific attribute values for a selected entity type, returning results for those that you have permission to view.
New	The New menu enables you to create entities for which you have security privileges. The New menu includes: <ul style="list-style-type: none"> – Assembly Template – Change – Comparator – Publishing Settings Library Template – Registration Attachment – Standalone Assembly – Submission Plan – System Alert
Favorites	The Favorites menu enables you to add and manage links to locations within the system that you frequently access.

Option	Description
Wizards	<p>The Wizards menu enables you to invoke wizards developed for ease of use. The options available to you depend on your product license and your user role. The Wizards menu can include:</p> <ul style="list-style-type: none"> – Bulk eCTD Import – Change Management – Change Submittal Status – Copy Event – Create Application – Create Notification – Create Study Reports – Create Submission – Create Submission Plan – Create Timeline/Event Plan – Create eCTD – Global Project Plan – Ready For Submission – Update Applications – Update Status – XEVMPD Acknowledgement – XEVMPD Submission

Username Menu

The user menu options within the application include the following:

Option	Description
Help	Opens the Help (this content).
Ennov™ InSight	Displays information about the application version.
Privacy Policy	Opens a link to the Privacy Policy .
Logout	Logs you out from the application.

Search

The **Search** function on the menu bar can be used to perform broad searches for all entities of a certain type (such as Product Families and Events). It can also be used to search for entities filtered by specific text found in the Name, Code, Keywords, or Description attributes.

You can search for specific entities or for specific entities filtered by text attributes.

You can search for:

- Product Families
- Applications
- Events
- Sequences
- Assemblies
- Registrations
- Full Product Presentations
- Products
- Components
- Projects
- Tasks/Sub-tasks
- Submission Plans

Keep in mind the following when enter the search criteria:

- Ennov InSight searches for entities data exactly as you enter it.
- Ennov InSight searches for text exactly as you enter it. You can use specific words to search for entities that contain the word you entered in their Name, Code, Keywords or Description attributes. For example, if you select **Product Families** from the list and enter *Denzine* in the search field, in the search results you will see all product families which contain *Denzine* in their Name, Code, Keyword, or Description attributes.
- Search option supports partial word searches. For example, if you select **Applications** from the list and enter *De* in the search field, the search results will display all applications which contain *De* in their Name, Code, UUID, Keyword, or Description attributes.

Note: You cannot use the asterisk character [] as a search criteria. The search will not be performed.*

Search Entities

The **Search** function on the *Home* page menu provides a quick method for searching entity types (such as Product Families or Events). You can search for entities filtered by specific text found in the Name, Code, Keywords, or Description attributes.

Search for an Entity Type

You can filter the entities based on an entity type and also find a specify entity using its name.

To search for an entity type:

1. Go to the menu bar and click **Search>>**.
A selection list and text field appears.
2. Select an entity from the list.
3. Click **Go**.

Example

Selecting **Product Families** in the list displays all product families in the system in the *Search Results*.

The *Search Results* page displays the results.

4. To hide the search fields in the menu bar, click **Search<<**.

Search for Entities that Include Specific Text Attributes

Ennov InSight enables you to filter entities of a certain type by specific text found in the Name, Code, Keywords, or Description attributes.

1. Select an entity from the list.
2. In the **text** field, enter text to filter the results of the selected entity group.
3. Click **Go**.

Example

Selecting **Product Families** in the list, and adding *Wisherut* in the **text** field displays only those product families that include *Wisherut* in their names.

The *Search Results* page displays the results.

4. To hide the search fields in the menu bar, click **Search<<**.

Term Search

Use the **Term Search** to associate a SPOR Term with the Data Administration values.

The *Term Search* selection widget is available for the Data Administration (OMS, RMS and SMS) tabs.

Search By

The *Search By* section allows you to select criteria when the search query is performed.

Search Results

The *Search Results* section displays the results when the search query is performed using the *Search By* section. You can select only single term from the *Search Results* section. You can filter search results and customize its columns. See: *OMS Terms, RMS Terms and SMS Terms in Data Administration*

Dose Form Search

Use the **Dose Form Search** to associate Dose Form with an entity.

The *Dose Form Search* selection widget is available for the following entities:

- Products
- Components

- Pharmaceutical Products
- Manufactured Items
- Full Product Presentations
- Medicinal Products

Search By

The *Search By* section allows you to select criteria on the basis the dosage form search query is performed.

Option	Description
Has EV Code	Use this option to search for Dose Forms that have EV Codes.
Term ID	Use this option to search for Dose Forms that have Term ID.
Type Term	Use this option to search for Dose Forms based on the following Type Terms <ul style="list-style-type: none"> — Combination Package — Combined Pharma Dosage Form — Combined Term — Pharmaceutical Dose Form If no Type Term is selected, the search results shows all the dosage forms available, including those that do not have the Type Term specified.
Dose Form	Use this option to search by the text that is included in the Dose Form.

Search Results

You can select single or multiple dosage forms from the *Search Results* depending on the entity. You can filter search results and customize its columns.

Column Name	Description
Dose Form	Dose form text description. For example, Powder for dental solution.
EV Code	EV Code number.
Type Term	Type Term name.
Term ID	Term ID.
Term Name	Term Name text description.

Substance Search

Use substance or substance reference values to associate with an entity.

The *Substance Search* selection widget is available in the following places. This field is labeled differently for entities.

Entity Name	Field Name	Description
Product Family	Active Ingredients	Multiple substances can be added.
Comparator	Active Ingredients	Multiple substances can be added.
Product Detail Set Attributes > Substances Properties > Add Substance	Substance Name	A single substance can be added.
Product Detail Set Template Attributes > Substances Properties > Add Substance	Substance Name	A single substance can be added.
Product Detail Set Attributes > Active Ingredients > Active Ingredient Detail Attributes > Flu Strain Attributes > Add Reference Strain	Reference Strain Name	A single substance can be added
Product Detail Set Template Attributes > Active Ingredients > Active Ingredient Detail Attributes > Flu Strain Attributes > Add Reference Strain	Reference Strain Name	A single substance can be added
Component Attributes > Active Ingredients > Reference Active Ingredient > Create Reference Active Ingredient	Reference Active Ingredient Name	A single substance can be added.
Component Attributes > Manufactured Items > Substances > Create Substance	Substance Name	A single substance can be added.
Component Attributes > Manufactured Items > Substances > Reference Substances > Create Reference Substance	Reference Substance Name	A single substance can be added.
Pharmaceutical Product Attributes > Substances > Create Substance	Substance Name	A single substance can be added.
Pharmaceutical Product Attributes > Substances > Reference Substances > Create Reference Substance	Reference Substance Name	A single substance can be added.
Data Administration > Other > Certificate Master File Values	Substance Reference	Multiple substances can be added.
Data Administration > Product Detail Set Maintenance > Manufacturer Values > Global Product Details	Substance Name	A single substance can be added.
Global Project Plan > Update Product Detail Sets > Active Ingredient > Input Query Filter Criteria	Active Ingredients	Multiple substances can be selected.
Global Project Plan > Update Product Detail Sets > Substance > Input Query Filter Criteria	Substance	Multiple substances can be selected.

Search By

The **Search By** section allows you to select criteria on the basis the substance search query is performed.

Option	Description
Has EV Code	Use this option to search for substances that have EV Codes.
Term ID	Use this option to search for substances that have Term ID. <i>Note: In preparation to capture Substance Management Services (SMS) data for IDMP, the framework was implemented in earlier Ennov InSight releases. The SPOR Master List for Substance is empty as EMA has not released the Substances (SMS) controlled vocabulary. The Term ID value for the new Substance Search selection widget will not be available in Ennov InSight 7.3.</i>
Substance	Use this option to search by the text that is included in the substance name.

Search Results

You can select single or multiple substances from the **Search Results** depending on the entity. You can filter search results and customize its columns.

Column Name	Description
Substance	Substance text description.
Substance Translations	Substance Translation Name text description.
Substance Aliases	Substance Alias Name text description.
EV Code	EV Code number.
Term ID	Term ID.
Term Name	Term Name text description.

Favorites

The **Favorites** feature enables you to save locations in Ennov InSight , providing an easy way to return to entities and entity details that you use.

You can:

- Add a Favorite
- Modify a Favorite
- Remove a Favorite

View List of Favorites

To view your list of Favorites:

1. On the menu bar click **Favorites**.

Your saved favorites are listed in the **Favorites** menu. In the **I Want To Go To** section on the *Home* page, your saved favorites are listed on the **Favorites** tab.


2. Click the name in the list to view the entity.

By default, all Favorites are listed alphabetically by entity type and then alphabetically by name within the entity type. This order cannot be changed.

Add a Favorite

Adding favorites enables you to return to frequently used entities and entity details in Ennov InSight . The entities and entity details that you choose as favorites are displayed in the **I Want To Go To** section on the *Home Page*, and in the **Favorites** menu. Favorites can be added, modified, and deleted.

To add a Favorite:

1. Go to the *attribute* page for the entity.
2. Click **Add entity to Favorites** .

Favorite Entity Types

Save locations in Ennov InSight to have an easy way to return to entities and entity details that you use.

The following entities can be added to Favorites:

- Activity
- Active Ingredient
- Application
- Attached Document for Medicinal Product Actions
- Change
- Change Detail
- Component
- CT Shared Data
- Event
- Full Product Presentation
- FPP Previous EV Code
- Manufactured Item
- Medicinal Product
- Medicinal Product Name
- MPID
- Medicinal Product Actions
- Orphan Designations
- Package Description for Registration Package Set
- Pharmaceutical Product
- PCID

- PhPID
- PMSID
- Product
- Product Cross-Reference
- Product Family
- Project
- Reference Active Ingredient
- Reference Substance
- Registration
- Registration Attachment
- Registration FPP Attachment
- Sequences
- Submission Plan
- Substance
- Task/Sub-Tasks
- View Reference

The entity is added to the Favorites list in both the **I Want To Go To** area on the *Home Page* and the **Favorites** menu. Favorites are listed alphabetically by entity type and then alphabetically by name within the entity type. The listed order cannot be changed.

Modify a Favorite

You can modify a favorite from the **Favorites** menu.

You can modify the name of saved favorites to make it easier for you to recall frequently used entities and entity details in Ennov InSight . Your favorites are displayed in the **I want to go to** section on the **My Favorites** tab on the *Home* Page, and in the **Favorites** menu. Favorites can be added, modified, and deleted.

To modify a favorite from the Ennov InSight menu bar:

1. On the Ennov InSight menu bar, click **Favorites > Manage Favorites**.
2. Select the favorite that you want to edit and click **Edit Link**.
3. On the *Edit Link* page, enter a new *name* for the favorite.

This change affects only the name displayed in the *My Favorites* section. The actual entity name will not be changed.

4. **Save**.

Remove a Favorite


You can remove saved favorites to clear entities and entity details that are no longer needed from your list.

Your favorites are displayed in the **I Want to Go to** section in **My Favorites** tab on the *Home Page*, and in the **Favorites** menu. Favorites can be added, modified, and deleted.

There are two ways to remove a favorite:

- Use the **Manage Favorites** option on the **Favorites** menu.
- Remove the favorite status while viewing the *entity attribute* page that was previously marked as a Favorite.

Remove a Favorite Using the Manage Favorites Option

1. Click the **Favorites > Manage Favorites** option in the toolbar.
The list of favorites appears.
2. Select the favorite you want to remove and click the **Remove from Favorites** icon .
3. On the confirmation message, click **OK**.

Remove a Favorite While Viewing the Entity

1. Go to the *attribute* page for the entity.
2. Under the title bar, click **Remove from Favorites**.

Wizards

The **Wizards** menu enables you to invoke wizards developed for ease of use. The options available to you depend on your product license and your user role permissions in the system.

The **Wizards** menu can be invoked from the Ennov InSight menu bar.

Wizard	Description
Bulk eCTD Import	You can use the <i>Bulk eCTD Import Wizard</i> to migrate multiple eCTD submissions to Ennov InSight from another system in a supported document management system (DMS).
Change Management	The Change Management wizard guides you through the process to create a project and associate change details to the events of the project.
Change Submittal Status	You can change the submission status of sequences using the <i>Change Submittal Status</i> wizard. You can use the <i>Change Submittal Status</i> wizard under specific conditions only.
Copy Event	You can use the <i>Copy Event</i> wizard to copy an event to multiple applications within the product family associated with a source event.
Create Application	To invoke the <i>Create Application</i> wizard, you should have <code>WRITE</code> permissions for events. The options available to you to create events, sequences, and PDS also require <code>WRITE</code> permissions.
Create Notification	You can create notifications with the <i>Create Notification Wizard</i> . When you create a notification from the Ennov InSight <i>home</i> page, you can only create global notifications for the Ennov InSight entity you select (product, application, event, and so on).

Wizard	Description
Create Study Reports	The <i>Create Study Reports</i> wizard enables you to add study report structures (folders and leaf elements) to an existing eCTD or CTD.
Create Submission	The <i>Create Submission</i> wizard enables you to create an assembly within the context of its appropriate Ennov InSight relationship.
Create Submission Plan	The <i>Create Submission Plan</i> wizard enables you to create submission plans and associate entities such as applications, events, and sequences to the submission plans.
Create Timeline/Event Plan	You can create a timeline/event plan using this wizard.
Create eCTD	The <i>Create eCTD</i> wizard enables you to create and organize structured and compliant eCTD assemblies.
Global Project Plan	You can create a project plan using the GPP wizard.
Ready for Submission	The <i>Ready for Submission</i> wizard enables an assembly plan to be merged into the lifecycle of the existing applications applicable to the assembly plan.
Update Applications	You can update the attributes of one or more applications using this wizard.
Update Status	You can use the <i>Update Status Wizard</i> to update event-country statuses and information about related entities.
XEVMPD Acknowledgement	You can upload the Acknowledgement XML file, received from the EMA, to Ennov InSight using the <i>XEVMPD Acknowledgement</i> wizard.
XEVMPD Submission	The <i>XEVMPD Submission</i> wizard enables you to collect data and files from the database to include in XEVMPD submissions, and to generate <code>.zip</code> files that include the collected data and attachment files to submit to the EMA.

New Menu

The **New** menu enables you to create entities for which you have security privileges. The **New** menu can be invoked from the Ennov InSight menu bar.

The New menu includes:

Entity	Description
Assembly Template	Opens the <i>Create Template</i> page. An assembly template enables you to set up an assembly structure that you can use to create similar assemblies.

Entity	Description
Comparator	Opens the <i>Create Comparator</i> page. Comparators are used in clinical trials to compare the success of a medicine under study to another medicine or placebo.
Change	Opens the <i>Create Change</i> page. Change enables you to plan and track regulatory changes with Change numbers that refer to additional tools or software.
Submission Plan	Opens the <i>Create Submission Plan</i> page. Submission Plans facilitate the creation of submissions for multiple similar applications.
Publishing Settings Library Template	Opens the <i>Create Publishing Settings Library</i> page. The Ennov InSight Publishing Settings Library separates the publishing settings from the assembly structure, enabling you to control different overlay settings, cover page settings, TOC types, slip sheet settings, and tab settings for use within the assembly.
Standalone Assembly	Opens the <i>Create Assembly</i> page. A standalone assembly is an assembly that is not associated with an application or sequence. You can create an Empty Standalone Assembly , a Standalone Assembly from a Template, Assembly, or View , a Standalone Assembly from an Assembly File , or a Standalone Assembly from a Virtual Document .
System Alert	Opens the create <i>System Alert</i> page. The System Alert entity provides the ability to create and distribute important messages to users or groups about the system.
Registration Attachment	Opens the create <i>Registration Attachment</i> page. The Registration Attachment entity is a Printed Product Information (PPI) attachment type created to be attached to a Full Product Presentation (FPP).

Find Menu

The **Find** menu on the Ennov InSight *Home* page enables you to perform advanced searches for entities based on one or more values for entity attributes.

You can locate the following entity types using the **Find** menu:

- Product Families
- Applications
- Pack Set Registrations
- Product Registrations
- Events
- Sequences
- Assemblies
- Tasks
- References
- Activities
- Run Last Query

Run Last Query enables you to return more quickly to the last set of search results after navigating to an entity from that result set.

Find vs. Search

The **Find** function on the *Home* page menu bar provides detailed entity search options.

Whereas, the **Search** function on the *Home* page menu bar provides a quick search that lists all of the existing entities of the type selected for the search.

Find and **Search** functions work with five of the same entities, but differ in several other entities that are available to each of them.

- Both **Find** and **Search** functions can search the following entities: Product Families, Applications, Registrations, Events, Sequences, Assemblies
- **Find** can also search: Tasks, References, Run Last Query
- **Search** can also search: Products, Components, Projects

Find Entities

The **Find** function on the Ennov InSight *Home Page* menu bar enables you to perform advanced searches for entities based on one or more attribute values.

To use the **Find** menu:

1. On the menu bar, click **Find**.
A list of entity types appears.
2. Select an entity type.
A query page appears.
3. If you select **Run Last Query**, the last report you generated is displayed and the following steps are not necessary.
4. On the *query* page, do the following:
 - a) Select values for the required entity attributes, indicated by an asterisk.
 - b) Select additional values for the attributes presented, as needed.

Note: The selected search values remain active until you reset them.

Example

If you previously performed a search for a Product Family and entered one or more searching values, when you start a new search for Product Family the query page will display the previously entered values. To clear the query page, **Reset**.

5. Search.

The results appear on the *Search Results* page. The results can be sorted or exported to Excel.


Entity Trail Navigation

Entity Trail Navigation enables you to quickly open the attribute page of an entity to view the entity details.

A wide range of the attribute pages in Ennov InSight provide a horizontal navigation path that lists entities associated with the one you are currently viewing. The entity trail appears below the title bar, following the **Add entity to Favorites** icon.

You can open the *attributes* page for the selected entity by clicking on its hyperlink.

You can add the entity to your **Favorites** list by clicking **Add entity to Favorites**. You can remove a viewed entity from your saved Favorites list by clicking **Remove from Favorites**.




Icons

Ennov InSight enables you to perform common functions for the entities you create and maintain. Icons appear on the toolbar at the top right of the attributes pages, and they are specific to the current entity.


When you position the pointer over an icon, the icon name appears in a tooltip. Some tooltips provide a description of the action that can be performed by clicking the icon.

Tooltip Example



Icons are either enabled or disabled.







 = Enabled - An **enabled** icon is displayed in full color and means you are authorized to perform its action on the Entity displayed on the page.

 = Disabled - A **disabled** icon appears grayed or dimmed to indicate that the action is unavailable. Either you are not authorized to perform the action or the action does not apply to the entity.



















You can perform a large number of actions for assemblies. Most of these actions are available in a drop-down list that you can display by clicking the **More** button next to the icons.





















Icons Reference
















Ennov InSight icons enable you to quickly identify functions and actions that you can perform in the system. The following command and status icons are used on the Ennov InSight interface.

Icon	Name	Purpose
	Add Approved	Add an entity to the <i>Approved Status</i> view.
	Add Folder	Add a folder in an assembly.
	Add Submission to Lifecycle	Adds an assembly to a life cycle.
	Add Group	Create virtual groups to use within workflows.
	Add Leaf	Add a Leaf in an assembly.
	Add Placeholder	Add a document placeholder in an assembly.
















Icon	Name	Purpose
	Advanced Assembly Tree Search Settings	Opens the <i>Search</i> window for advanced filtering of an assembly tree.
	Apply Binding to All Children	Apply binding rules to all children of the selected assembly node.
	Assign Document	Assign a document within an assembly when an element is selected.
	Assign Related Documents	Assign related documents to the selected Document.
	Associate/Disassociate	Associate/Disassociate an entity with another entity or add a PDS detail. Associate or disassociate Products on the Events entity. Also used to assign a document within an assembly (using the right-click options).
	Associate Workflow	Associate workflows to entities.
	Associate Workflow to Events or Sequences	Associate workflows to events or sequences.
	Bulk Update Events Bulk Update Sequences	Modify the attributes of multiple events, or sequences, associated with a project. Use the icon tooltip on the <i>Project Attributes</i> page.
	Calculate Projected Dates	Open a page for recalculating projected dates based on a selected pivot status.
	Calendar	Open a calendar tool for setting a date.
	Cannot Delete Due to Data Dependencies	(Status icon) Indicates that the entity cannot be deleted because of the related data.
	Change Type	Open a dialog box for changing an element type.
	Claim	Claim activities.
	Clear Filter	Deletes the search criteria entered in the search field.
	Close/Cancel	Cancel or close an operation, generally without saving changes.
	Collapse	Collapse a tree node to hide child nodes. On the <i>Home</i> page, collapse the <i>I Want To Go To</i> or the <i>I Am Looking To</i> pane.
		
		
	Convert to Reference Leaf	Converts the selected leaf to a reference leaf.
















Icon	Name	Purpose
	Copy	Create a copy of a selected entity.
	Copy URL	Copy a URL to an operating system clipboard.
	Cover Page	Indicates where a cover page has been inserted for an element in the assembly tree.
	Create	Open a page for creating a new entity.
	Create Missing Renditions and Extractions	Starts the process of creating missing renditions and extractions.
	Create New (Home Page)	Provides access to wizards developed for ease of use in performing create actions.
	Create Product Registration	Open the <i>Create Product Registrations</i> wizard.
	Create Publishing Settings Library Template; Insert Volume	Open a page for creating a new Publishing Settings Library Template (PLT). Insert new volume to the assembly.
	Create Reference	Open the <i>Create Reference</i> page for adding a reference to an entity, such as a document file or a URL to a Web site.
	Create Sequence	Open the <i>Create Sequence</i> page for associating a new sequence with an entity such as a project or event.
	Create Role	Open the <i>Create Role</i> wizard for creating a new user role for system security.
	Create Version	Create a version of a template or assembly.
	Delete; Delete All Volumes	Delete or remove an entity.
	Delete (Withdraw)	Mark the selected leaf in the assembly as deleted.
	Delete	Delete a workflow.
	Demote	Demote the selected item in the list hierarchy.
	Duplicate Leaf Append Leaf	Make a duplicate copy of the selected leaf. Make an appended leaf as a child node of a selected leaf.
	Duplicate Folder	Make a duplicate copy of the selected folder.
	Edit/Modify	Open a window for editing/modifying an entity.
	Edit Document Bookmarks	Edit the extracted bookmarks of the selected document.

Icon	Name	Purpose
	Edit Document Links	Edit the hyperlinks of the selected document.
	Edit icon not available	(Status icon) Indicates read-only status.
	Publishing Setting Library	View or modify Publishing Settings.
	Entity History Query	Opens the search window to track the entities modifications.
  	Expand	Expand a tree node to show child nodes. On the <i>Home</i> page, expand the <i>I Want To Go To</i> or the <i>I Am Looking To</i> pane.
	Expand Range	Expand a TOC or navigation tree to view all elements.
	Export Assembly	Opens a dialog box for exporting an assembly outside of the system in another format, such as a spreadsheet or XML file.
	Export to Microsoft Excel	Export data in spreadsheet format.
	Export Published Output	Distribute published output as a rendition of a virtual document or a file system document.
	Favorites (Home Page) Add to/Remove from Favorites	Opens the list view of entities that you frequently use. Add or remove the entity to or from Favorites.
	Filter for Link Inspector	Apply filter criteria to Link Inspector query results.
	Find and Replace	Find and replace specific text within an assembly structure (SPT license required).
	Find Reference Leaf Elements	Lists all reference leafs referencing the selected leaf.
	Find Reference Leaf Targets	Opens the search results page for the reference leaf targets.
	Folder closed	(Status icon) Indicates that the contents of a folder are not shown or the folder is closed.
	Folder open	(Status icon) Indicates that the contents of a folder can be shown and the folder is open.
	Force New Renditions and Extractions	Create renditions and extractions, overwrite all existing renditions and extractions.
	Generate	Generate a file or a TOC.








Icon	Name	Purpose
	Generate Tab Review File	Generates the assembly tabs in a PDF file.
	Help	Open the online help documentation.
	Hide	Close an expanded area to hide details.
	Import Assembly Wizard	Start the wizard to import an assembly.
	Import from eCTD	Open the Import to <i>eCTD Application</i> window.
	Inline Edit or Modify	Change attributes or settings.
	Inline Hide	Close an expanded area to hide the attributes.
	Inline Required	(Status icon) Indicates that there are fields that need to be filled.
	Inline Show	Expand the collapsed area to show the attributes.
	Inline Warning	(Status icon) Indicates that errors occurred during the work.
	Insert Page Marker	An assembly element used to mark a specific page in a document. Most often used to indicate where a volume break may occur. You can also use page markers to insert TOCs, tab sheets, and other publishing effects in a document.
	Insert Volume	Insert a volume in an assembly.
	Leaf	Leaf node in an assembly.
	Leaf Update	Update the list of document assemblies for projects.
	Lifecycle	Add an assembly to the lifecycle.
	Link Applicability	Change where a link is applicable (for example, globally to each occurrence of the link pair in any assembly or for this application only).
	Link Output Channel	Change link properties to activate or deactivate output channels.
	Link Profile	Change link properties to change settings for each link.
	Lock	Lock an entity, saving the existing settings and preventing further changes unless the entity is subsequently unlocked.
	Locked	(Status icon) Appears next to Ennov InSight attributes that are mapped to their DMS repository or file system attributes.
	Mark Activity as Complete	Mark an activity assigned to you as complete.

Icon	Name	Purpose
	Mass Update Properties	Update the properties of multiple folders, leafs, reference leafs, documents, and/or placeholders within an assembly (SPT license required).
	Mass Insert/Update Publishing Elements	Insert, modify, or delete multiple publishing elements (TOCs, tab sheets, cover pages, or slip sheets) for a specific range within an assembly.
	Maximize	On the <i>Home</i> page, maximize the size of the <i>I Want To Go To</i> or the <i>I Am Looking To</i> pane.
	Metadata Library	Opens the <i>View Metadata Library</i> page.
	Minimize	On the <i>Home</i> page, return the size of the <i>I Want To Go To</i> or the <i>I Am Looking To</i> pane to the default view after it has been maximized.
	Modify TOC Tree	Display entries in the selected TOC for modification.
	Move Down	Move the selected item down in the list.
	Move Task	Open the <i>Move Task</i> wizard to move a task from any entity to an event.
	Move Up	Move the selected item up in the list.
	My Activities	Displays all active activities currently assigned to a current user.
	Create Notification	Use the <i>Create Notification</i> wizard for to create e-mail notifications for specific triggering events.
	Page Marker	An assembly element used to mark a specific page in a document; can indicate where a volume break may occur, or to insert other publishing elements such as TOCs, tab sheets, and other publishing effects in a document.
	Pane Expand	Cursor indicator used to expand a pane in the user interface.
	Pause Until	Stop workflows until a specified date.
	Pause	Temporarily stop workflows that are started.
	Placeholder; Unassigned Document	Indicates a document placeholder in an assembly. This icon also replaces the usual document icon when you unassign a document.
	Prepare Documents for Linking	Prepares documents for use in linking tools.
	Publish Request	Choose a submission output location and document type, specify whether to create renditions automatically, and what to publish.

Icon	Name	Purpose
	Promote	Promote the selected item in the list hierarchy.
	Publishing Readiness Query; Publishing Summary Query; Prepare for Publishing	<p>The Publishing Readiness Query enables you to view your assembly metadata at a glance and find predicted errors and warnings that may occur at publishing time if an issue is not remedied.</p> <p>The Publishing Summary Query displays each component in the assembly, its types and sub-types, and indicates whether a leaf has at least one child document and whether the leaf has any overridden attributes with renditions.</p> <p>Prepare to Publishing opens the webpage dialog box to prepare the assembly element for publishing.</p>
	Regional Information Additional Information	Both options enable you to assign regional attributes or additional properties specific to the assembly root or any other folder. This option is available in the eCTD 4.0 assembly folder if the CV Profile with envelope CV is assigned to Publishing Settings Library.
	QC Failed	Assign the QC Failed status to a PDS detail to indicate that it failed a check to verify that it is correct.
	QC Passed	Assign the QC Passed status to a PDS detail to indicate that it passed a check to verify that it is correct.
	Recently Viewed	Opens the list view of the entities that you have viewed when logged on.
	Reference Leaf	Appears before a reference leaf in an assembly tree.
	Reference Location	Specify a different location for the assembly reference location.
	Refresh; Refresh Tree	Update a navigation tree to show recent changes.
	DMS Synchronization	Synchronizes all child documents of the selected node to the associated DMS.
	Recalculate Checksums	Recalculate checksums for content that has been changed post publishing.
	Reset Sort	Clears the previously set sorting.
	Reorder; Reorder Child Leafs	Specify the order of nodes in a hierarchy (such as the relationship and order of child nodes to parent nodes).
	Remove Approved	Removes an event from the Approved status view.
	Remove from Alert Center	Removes a Task Alert or a System Alert from the Alert Center.

Icon	Name	Purpose
	Replace Leaf	In the working assembly replace the selected leaf, already existed in the assembly.
	Report	Generate an Entity History Query for an event.
	Reset TOC Content	Remove unsaved TOC changes.
	Resume	Resume workflows that are paused.
	Revert	Revert the selected leaf to the previous lifecycle operation.
	Run Link Inspector	The Link Inspector query enables you to view the status of all hyperlinks and cross references, and make any necessary changes prior to publishing.
	Save Baseline	Create a baseline of the Assembly at a specific point in time, allowing users to track changes to its structure and content from that point onwards.
	Search	Starts the search according to the entered search criteria.
	Search Person	Search for a user within the system.
	Select	Select a row in a table.
	Select Entity List	On the <i>Home</i> page, display the list of entities that you have permission to view.
	Select Trees	On the <i>Home</i> page, Select Trees provides the option to select the Product Family or Countries trees.
	Set Binding	Change the binding rule for documents that are currently assigned to the assembly.
	Set Filter	Open a dialog box for creating or changing filters that are used to focus the results listed on tabbed pages or further focus results from certain queries.
	Set Target	Change the location of the target document to a leaf or bookmark.
	Show	Expand a closed area to reveal additional details.
	Slip Sheet	Indicates where a slip sheet has been inserted for an element in the assembly tree.
	Submission Readiness Report	For each module in an assembly, the Submission Readiness report shows the number and percentage of documents that fall into each of ten categories. Each category is related to a document assignment status, approval status if assigned, due date of the parent leaf, and whether a document is in Documentum.

Icon	Name	Purpose
	Start	Start the time tracking for an activity.
	Stop	Stop the time tracking for an activity.
	Start Workflow	Start client-specific workflows that are not associated to any entities.
	Tab	Indicates where a tab sheet has been inserted for an element in the assembly tree.
	Text Area (Expand)	Expand a hidden area on the screen.
	Text Area (Shrink)	Hide an area shown on the screen.
	TOC	Indicate where a table of contents (TOC) has been inserted in an assembly tree.
	Transfer	Assign an activity to a specific user, or set claim rules to users or user groups for claiming activities.
	Unassign; Unassign Document	Remove a placeholder assignment. Remove the link to a document from the assembly tree.
	Unclaim	Release an activity from a claimed state to make it available to other users to claim.
	Unlock	Release an entity from a locked state.
	Update (Home Page)	Provides access to wizards developed for ease of use in performing update actions.
	Update Overlay Settings	Update the overlays used for documents, TOCs, and/or cover pages for a specific range within an assembly.
	Update Status	Change the status.
	User Group	Open the <i>Add User/Group</i> wizard for creating a new user group for system security.
	View Baseline Differences	Enables changes to its structure and content to be viewed from the time of the baseline creation (Save Baseline must be run first).
	View Activities List	Displays all activities associated to a selected section and all its sub-sections.
	View Document List	The Document List query provides a view of the placeholders and assigned documents associated with an assembly structure.
	View Lifecycle History	Lifecycle History provides a view of the lifecycle history of the selected leaf.
	View File	Preview an assigned file or document.

Icon	Name	Purpose
	View Tab	View an example of the selected tab sheet attributes.
	View Tab Review File	Opens the PDF file with the generated tab review.
	View Where Used Query	Determine where a document is used across applications, countries, products, versions, and assemblies.
	Volumize	Generate volumes within an assembly structure based on the volume settings within the associated Publishing Settings Library.
	Withdraw	Remove or delete a pending detail.
	Workflow Admin	Open the <i>Workflow Admin</i> page for managing the workflow users and groups.
	Workflow Diagram	From <i>Workflow</i> view, highlights all currently active activities in the diagram. From Activity view, highlights only the current selected activity in the diagram.

Special Characters

Output locations, file names, and user names that include certain special characters might not be interpreted correctly by the system and can cause unexpected results.

With the exception of document names, overlay and cover page template names, and variables, avoid the use of these characters in Ennov InSight :

Special character	Description
\	backslash
/	slash, or forward slash
"	quotation mark
< >	left and right angle brackets <i>Note: Due to the thin-client Web interface of Ennov InSight , avoid using angle brackets (< >) in attributes. While these characters will be saved correctly, they will not display correctly when you view the page or entity.</i>
:	colon

Multi-Select Lists

There are two conventions for selecting multiple values: **Available selection lists** and **Searchable selection lists**.

Available Selection Lists

In these selection lists, choose more than one item by pressing the `Ctrl` key and clicking to highlight each item. To add the highlighted items, click the `>>` button. The highlighted items are moved from the **Available** list to the **Selected** list. To remove selected items, use `Ctrl+click` to highlight the items in the **Selected** list and click the `<<` button to move them back to the **Available** list. Items that appear in the **Assigned** list represent previously selected items that are currently associated with other Ennov InSight entities. These cannot be deselected.

Searchable Selection Lists

With **searchable selection lists**, you click **Select** to open a list from which you choose items.

Using the sorting, paging, and data refresh tools available for all tables, you can locate the items you want to select. To refine the number of items listed, enter a search parameter in the **Search** field and click the **Search** icon. To limit the search to a column in the table, click **Search** and choose the column on which to perform the search. To clear the current search, click **Cancel**.

To choose an item, select the check box next to the item. You can choose all items on the current page by selecting the check box in the header row.

If you want to select every item returned by the search, change the number of items to display. In the **View** drop-down list, choose a value greater than the total number of items indicated next to **Displaying items** and then select the check box in the header row. Click **Save** and the items you have checked are populated in the **Selected** list.

To clear selected items, use `Ctrl+click` to highlight the items in the **Selected** list and click **Deselect**. Items that appear in the **Assigned** list represent previously selected items that are currently associated with other Ennov InSight entities. These cannot be deselected.

Set Date Attributes

To set date attributes, you can choose dates using the calendar tool or you can enter them in the space provided. Using the calendar tool reduces data entry errors caused by mistakes in date formatting or keyed entries. If the date is entered in the wrong format, or has invalid values, the invalid value will not be saved.

Ennov InSight supports the international date format DD-MM-YYYY by default. This format can be customized with a Ennov InSight override properties file.

Custom configurations must be coordinated with the Consulting Services Organization (CSO) group. Furthermore, regardless of the date format or your browser's language preference setting, Ennov InSight only supports English for dates.

To open the calendar tool and choose a date, click the Calendar  icon.

Tables

In Ennov InSight , tables provide the list view of entities and their details, displaying the number of data rows on a page and the total number of rows in an entire table.

When the tabular data spans more than one page, the range of data rows is displayed. You can change the number of data rows displayed by selecting a different value from the **View** drop-list located at the bottom of the page.

The default number of rows displayed on a page is 100. You can view and select up to 5000 rows. To change the default number and maximum number of data rows on a page, contact your Ennov account executive.

Viewing too many data rows on a page can reduce the speed and efficiency of processing and displaying the data.



Sort Columns

Ennov InSight enables you to specify up to four levels of sorting for columns in tables.


The example of the **Applications** tab table below shows three levels, where the table is sorted by application name within family type within application code. The blue column headers indicate the columns with which you are sorting the table. The numbered arrows next to the column name show the sorting level hierarchy (1st, 2nd, 3rd), and whether the column values are in ascending or descending order.


To add a column to the sort, click the column header. The color of the header changes. You can specify up to four levels of column sorting. Sorting occurs as follows:

- Sorting begins with the first column you choose.
- The second column you choose is sorted within the first column.
- The third column you choose is sorted within the second column.
- The fourth column you choose is sorted within the third column.

If you choose a fifth column to sort, the first column you chose is removed from the sort order and the primary sorting begins with the second column.

The sort order of the column values is indicated by the up or down direction of the arrow in the header. An **up** arrow indicates ascending order (from A–Z), and a **down-pointing** arrow indicates descending order (Z–A). You can change the sort order of a column by either clicking the column header to toggle the direction of the arrow, or by hovering over the column header and clicking the menu arrow to choose a sort order, as shown in the following image.



To remove the sorting on a table, click the **Clear Sort** icon  at the bottom of the table. Most Ennov InSight table views open with a default column already sorted, so you may want to clear the default sort first before specifying a custom sort.

Customize Columns

Column Width


1. To adjust the width of a column, hover your pointer over the border between two column headers. Your pointer will become a double-sided arrow.
2. Press and hold your left mouse button, then move the pointer left or right to adjust the column width.

Column Position

To change where a column appears in the table, press and hold your left mouse button on the column header, drag the column to the desired position.

Example

In the following image, the **Application Name** column is being positioned between the **Application Code** and **Country** columns.



A blue arrow appears to indicate where the column will be positioned.


Hide Columns

1. To hide a column, hover your pointer over any column header and click the **menu** arrow that appears to the right of the header.

On the pop-up menu, hover your pointer over **Columns** to see the list of columns available for the table.

2. Select or clear the check boxes to show or hide columns.

Example



Selected columns are shown, cleared columns are hidden.

Navigate Pages of Table Data

Navigation icons on table data pages enable you to move forward, back, and to specific pages in large tables with multiple pages.

Use the following icons to navigate through multiple pages of table data:

Icon	Description
	Go to the first or last page of table data.
	Go to the previous or next page of table data.
Page <input type="text" value="1"/> of 2	Go to a specific page.

Hyperlinks

Hyperlinks (also called links in this documentation) appear as blue text to differentiate them from regular text. As you position the pointer over a blue text link, it changes color. When you click the link, you are sent to the target page.

The blue text values in the columns are links. These links open the attributes page for the selected entity name.

Reference Links

References can be linked to sources of information, such as documents, external URLs, and assemblies.

You can create reference links for the following entities:

- Product families
- Products

- Applications
- Events
- Sequences
- Registrations
- Tasks
- Submission Plan

Filters

Filters are useful for limiting search results to records that meet specific criteria. Basic filters are simple statements that consist of fields, operators, and values.

The following elements are included in a simple filter statement:

Element	Description
Field	The label that you see on an attributes page that identifies certain values (attributes). For example, a field on the <i>Product Attributes</i> page is <code>Product Name</code> .
Operator	A term used to test the relationship between values. For example, the operator <code>Equals</code> compares the value stored in the system to the value set in the filter and returns only the records that have equivalent values.
Value	The assigned attribute. For example, a value for <code>Product Family Type</code> could be <code>Pharmaceutical</code> or <code>Medical Device</code> .

When you set a filter, you are presented only with selectable options based on the entity you are filtering or the original query you selected to filter. For example, if you are filtering a list of product families, only fields and values related to product families are presented.

After setting a filter, the filter remains in effect until you change or clear it. Logging on and logging off of Ennov InSight does not affect the filter settings. For reference, the currently active filter statement appears above the listed items, so you can easily see the criteria that affects the listed results.

The same is true for operators. When adding a date value to a filter, the only operators available for you to select will be those relevant for date fields only.

Group Filters

When you create a filter, you can use grouping operators (parentheses) to determine how filter statements are applied.

Do not create a group within a group. Nested grouping is not supported.

Filter Group Examples

The following statement returns results that have only `Medical Device` as the product family and may have the term `forceps` or `clamps` included in the product family name:

'Product Family Type' equals 'Medical Devices' and ('Family Name' contains 'forceps' or 'Family Name' contains 'clamp')

Compare this to a similar statement:

'Product Family Type' equals 'Medical Devices' and 'Family Name' contains 'forceps' or 'Family Name' contains 'clamp'

Without the parentheses, this filter returns records that can include other product family types in addition to Medical Devices, such as Pharma-Med Device, because the terms forceps or clamp appear in the product family name.

Filter Operators

You can apply operators to field values to refine the filter results.

This table lists typical filter operators, their descriptions, and the values to which they can be applied.

Operator	Field type	Description
Equals	All	Include only records that have the exact value selected. When Equals Empty is selected, only records with no value in the selected field are listed.
Not Equals	All except text	Exclude records that do not have the exact value selected. When Not Equals Empty is selected, only records that have any value in the selected field are listed.
Starts With	Text	Include records that contain values that begin with the value(s) selected.
Ends With	Text	Include records that contain values that end with the value(s) selected.
Contains	Text	Include records that contain selected values.
Does Not Contain	Text	Exclude only those records that contain values that end with the value(s) selected. To return results that do not contain any data, be sure to include a condition where the result should equal an empty value (i.e., Equals empty).
Before	Date	Include records assigned a date before the date selected in the filter statement.
After	Date	Include records assigned a date after the date selected in the filter statement.
Between	Date	Include records assigned between the dates selected in the filter statement.

Operator	Field type	Description
In	Multi-select	Include records that have a specific value as one of the values selected for the field. You can use comma-delimited fields when setting up the filter criteria.
Not In	Multi-select	Exclude records that have a specific value as one of the values selected for the field. You cannot use comma-delimited fields when setting up filter criteria.

Filter Symbols

Oracle is used as the basis for the **Set Filter** function, and some special characters should be used carefully.

Special characters that should be used with caution in a filter:

Symbol	Issue
% (Percent symbol)	Oracle perceives the percent sign as a wildcard. When the percent sign is entered as filtering criteria, the results are not filtered.
_ (Underscore)	<p>The following occurs when using underscores in a filter:</p> <ul style="list-style-type: none"> – No filtering occurs if you set a filter with only an underscore. – Inserting an underscore before or after characters (e.g., <code>_abc</code>, <code>abc_</code>, or <code>_abc_</code>) returns all records that contain the underscore character. – Inserting an underscore between characters (i.e., <code>a_b</code> or <code>a_b_c</code>) returns records that contain the characters presented in the designated order that have any single character between them.

Set Filter

The **Set Filter** option offers flexibility in its ability to locate and quickly access entity-specific information stored in Ennov InSight based on the selected settings.

The **Set Filter** option is available on several tabbed pages, such as *Product Families*, *Registrations*, *Events*, and others.

The **Set Filter** dialog box, which is invoked by clicking the **Filter** icon on tabbed pages, offers the same filter setting capability as the **Querying** option available through the **Go To** menu. The difference is that filters for Querying are applied to queries, rather than entity-specific items listed on a tabbed page.

As you make selections, additional options become available. You may use drop-down lists, radio buttons, multi-select fields, or text boxes to build the filter.

***Note:** Using symbols in the filter, such as the underscore (`_`) or percent sign (`%`), may return unexpected results.*

As the filter is developed by selecting options, text appears in the field at the top of the dialog box showing the filter statement. This information is read-only. The portion of the filter under construction is highlighted for reference.

Set Filter ✕

('Family Name' in

Choose a grouping operator
 None | (

Choose a field
 Family Name ▾

Choose an equality operator
 In Not In Equals Not Equals

Choose a value

Available !!! No App test !!! ts_mk !!! IPF_LINKI ! mik formal 60CHF1 ! Mika Excip 2	>> <<	Selected ! A MD12
------------------------------------------------------------------------------------------------------------	----------	-----------------------------

🗑️ Clear
⏪ Back | ⏩ Next | ✅ Finish | ❌ Cancel

Set Filter Options

The following options are available as the filter is set:

Icon	Description
	Remove all filter settings, regardless of the portion of the filter being viewed.
	Go back to the previous view of the <i>Set Filter</i> dialog box where settings can be reviewed or changed.
	Go forward to the next view of the <i>Set filter</i> dialog box where settings can be reviewed or changed.
	Apply the filter settings. The filter results are maintained until the filter settings are cleared.
	Cancel the filter settings in progress.

Set Filter Criteria

After setting filter criteria, the filter statement is displayed at the top of the listed results. The filter settings remain in effect until you modify or clear the filter.

To set a filter:

1. Click **Filter** .
2. On the **Set Filter** dialog box, select a *grouping operator* or a *field* to query.

3. Select an equality operator.
4. Select a value.
5. Do one of the following:
 - Click **Next** to set additional filter criteria, and proceed to the next step.
 - Click **Finish** to view the results, and skip the remaining steps in this procedure.
6. Select an operator.
7. Select a **start grouping** operator, if needed.

If you select a start grouping operator (left parentheses) at any point in the filter statement, you must select the **close grouping** operator (right parentheses) to close the grouping.
8. Repeat as needed to complete the filter statement.
9. Click **Finish**.

Modify a Filter

Filter settings remain in effect until you modify or clear the filter. You can modify the existing filter to create a new filter.

To modify a filter:

1. Click the **Filter** icon.
2. On the **Set Filter** dialog box, use the **Back** and **Next** buttons to view the portion of the statement you want to edit.
3. Modify the settings as needed.
4. Click **Finish**.

Clear a Filter

You cannot recover a filter after it has been removed. Before you clear a filter, consider whether modifying the filter is a more efficient option.

To clear a filter:

1. Navigate to the page affected by the filter.
2. Click the **Clear** button on the upper filter field.

The filter is removed and cannot be recovered.
3. In addition to this method of clearing an existing filter, you can remove the filter by selecting a similar option in the **Set Filter** dialog box.

Export to Excel

You can export records listed on a tabbed page (such as the *Product Family* page) or query results to a Microsoft® Excel® spreadsheet.


When you export records to Excel, the resulting spreadsheet contains all listed information, including data that appears under columns that you cannot see in the immediate viewing area without scrolling.

When a filter is set to limit query results or records listed on a tabbed page, only those records that appear after the filter is applied will be included in the Excel spreadsheet.

Export Records to Excel

You can export records from Ennov InSight to Microsoft® Excel®. With Office 2003, Excel supports a limit of 65,536 records. With Office 2007 and greater, Excel supports one million records.

To export records to Excel:

1. Click the tab that lists the data you want to export.
2. At the bottom of the page, click the **Export to Excel** icon .
3. Follow the prompts in the *File Download* dialog box.

Discussion Threads

You can view and contribute to discussion threads for entities to which you have security privileges. The Comments attribute enables you to add text about any entity in Ennov InSight .

Comments are stamped with your user ID and date of the entry. Security applies to the entire discussion thread, and only an administrator can modify a saved comment.

When using Comments:

- For assembly templates, you can use the **Add Comment** box to provide instructions to users about how to use the templates and provide a broader instruction to help users standardize the submission creation processes for your organization.
- When using multi-byte character sets (Russian, Japanese, etc.) an error may occur when persisting strings to the database that exceed the byte length set for the column even when the string length validation is successful. For example: If you are using a Russian character set (which contains two byte characters), you can enter a 2001-character string in the **Comments** attribute (which can contain 4000 characters). Ennov InSight will treat the entry as a valid length string. Oracle however, will generate an error because a 2001-character length string consisting of two byte characters will in fact be 4002 bytes. This exceeds the Oracle limit for the column (4000 bytes).
- The **Comments** text box is not displayed on *View and Modify* pages if there are no existing comments.
- If you create a discussion thread on a Product Detail Set or Product Detail Set Template and query on it by executing the Entity Audit Trail query, choosing an Entity Type of Discussion Thread, and selecting an Action (I/U/D), the **Associated Entity Type** and **Parent ID** columns for the records returned are blank.

PDS Comments :

<adminadatsun> Jul 20, 2017 6:12:38 AM: Comments you add using the [Entity Name] Comment box appear in the [Entity Name] Comments box after saving your changes.

PDS Add Comment :

You can add comments when you create or modify an entity.

Configurable Browse and Link

Configurable Browse and Link functionality provides the ability to link to documents within a Ennov InSight entity. This functionality is available for all entities except assemblies.

Using an XML configuration file, you can add a link attribute to an entity, which consists of a **link type** drop-down list and **hyperlink** text box. Then, as you would for a reference entity, you define a link type and a hyperlink that targets DMS content (including file system), a Ennov InSight assembly, the URL to an external site, or the URL to an internal Ennov InSight location using the Copy URL function.

The following conditions apply to the configurable browse and link functionality:

- All XML configurations should be made through the Regulatory Information Management (RIM) Client Enablement group.
- To create the **link type** drop-down list and **hyperlink** text box, the XML configuration file uses two extra text fields per link. All Ennov InSight entities have 20 extra text fields, except for PDS details which have 10 extra text fields. This means you can have a maximum of 10 links per Ennov InSight entity, and a maximum of 5 links per PDS detail.
- Standard DMS security applies to DMS content links. You are prompted for your DMS ID and password if you are not already logged in.
- For DMS content links, if the most current version is selected (whether it is the only version, or one of many), the link binds to CURRENT. If a non-current version is selected, the link binds to that specific version.
- Ennov InSight assembly links can be made to standalone assemblies, assembly templates, views, and sequence assemblies.
- External URL links must include the `http://` prefix.
- Configurable browse and link functionality is not available for the data administration pages.

Configurable browse and link attribute values are not copied as part of the following copy features in Ennov InSight :

- Copy product
- Copy component
- Copy application
- Copy task
- Copy event
- Creating a PDS from a PDS template
- Creating a PDS template from a PDS
- Copy PDS details

Electronic Signatures (E-Signature)

The Ennov InSight Electronic Signature (E-Signature) feature can capture electronic signatures for add, modify, and delete activities for specific entities indicated by system administration. This creates an audit trail event for valid and invalid signatures.

Electronic signature functionality is an optional feature that requires special configuration in Ennov InSight . Contact Client Enablement to enable electronic signatures for your Ennov InSight version.

Add, modify, or delete pages for following entity types:

- Product Family
- Product
- Pharmaceutical Product
- Application
- Event
- Event Country (**Event Country Attributes/Status Dates** Tab, and Lock/Unlock Event Country for adding pages only)
- Event Closure (Modify Event page, Update Status Wizard, and Update Event-Country wizard only)
- Sequence (**Sequence/Status Dates** tab)
- Registration (*Registration Attributes, Copy Package Set Registration* wizard)
- Product Detail Set
- Full Product Presentation (*Full Product Presentation Attributes, Copy Full Product Presentation* wizard)
- Registration Attachment (*Registration Attachment Attributes, Copy Registration Attachment* wizard)
- Registration FPP Attachment
- References
- Tasks (**Task/Sub Task Status Dates** tab)

All wizards except the following can be configured for electronic signature:

- Create Study Report
- Bulk eCTD Import
- Create eCTD
- Create Timeline/Event Plan
- XEVMPD Acknowledgement
- XEVMPD Submission

Save an Electronic Signature (E-Signature)

When the Electronic Signature (E-Signature) feature is enabled for an entity type in Security Administration, you must provide your user name and password for each activity you perform on that type of entity. You must also choose a reason for performing the activity.

Ennov InSight validates your signature and enables you to complete the activity. If you enter an invalid user name or password, Ennov InSight prevents you from completing the activity and logs the error in an audit log.

1. Choose the applicable procedure in the table below to enter an electronic signature in wizards:

Scenario	Steps
When electronic signature and SSO are enabled	<ol style="list-style-type: none"> In the confirmation page, select a reason and enter comments for the reason. Click Next. Validate your identity by entering your user credentials in the dialog box.
When electronic signature is enabled and SSO is disabled	<ol style="list-style-type: none"> Select a reason and enter comments for the reason. Enter user ID and password and click Next.

2. Choose the applicable procedure to enter an electronic signature for entities:

Scenario	Steps
When electronic signature and SSO are enabled	<ol style="list-style-type: none"> Select a reason and enter comments for the reason. Select Save. Validate your identity by entering your user credentials in the dialog box.
When electronic signature is enabled and SSO is disabled	<ol style="list-style-type: none"> Select a reason and enter comments for the reason. Enter user ID and password and click Save.

Ennov InSight License Components

The Ennov InSight components enable different organizational roles and functions within the regulatory lifecycle of a drug product. Each component focuses on one particular area of expertise and includes the ability to control access permissions within the component for specified users and groups.

By assigning access permissions to users or roles, you can enable some users to merely observe or access queries and summaries while enabling others to perform the daily operations of project management, research, planning, and publishing.

Available Components	Description
Ennov InSight Workflow Integration	Enables you to utilize client-specific workflows that contain multiple activities, with dependencies and preset fields, that guide processes within the system.
xEVMPD	Enables you to capture, maintain, and submit data about pharmaceutical products to comply with the Extended EudraVigilance Medicinal Product Database (XEVMPD) directive.
IDMP	Enables you to capture, maintain and submit medicinal product data to comply with the extended IDMP functionality.
Registration Planning and Tracking	(RPT) enables you to plan registration activities and collect registration data without product formulation details. It improves affiliate communication, enables you to track the status of overall global product registration activities, and maintain product registration compliance.
Product Detail Management	(PDM) enables you to track product formulation and SPL exports. It also provides queries about where products are registered and other registration information.
Submission Planning and Tracking	(SPT) enables you to create, review and track submissions from planning to publishing. It also automates assembly creation and enables you to monitor the authoring process.
Registered Document Analysis	(RDA) leverages lifecycle submission information to enhance the DMS repository for better decision support based on usage information. It enables you to query for the external approval status of documents and to perform impact analysis of registered document changes.
Electronic Lifecycle Publishing	(ELP) simplifies eCTD creation and is required to publish assemblies as eCTD submissions.

Available Components	Description
Paper Review Publishing	(PRP) enables you to build assemblies for publishing to paper. PRP enables you to add paper elements such as TOCs, cover pages, overlays, and cross references to electronically published submissions suitable for generating study report submissions, hybrids, and other electronic submission formats. Using both the ELP and PRP licenses enables you to add these publishing elements to eCTD lifecycle submissions. Finally, PRP also enables you to publish an entire assembly to a single file electronically.

License Modules: Product Families, Clinical Trial Shared Data

Subfeature	Subfeature Description	License Modules
Product family categorization	Define parent active substance family.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Product Detail Management – Registered Document Analysis – Registration Planning and Tracking – Submission Planning and Tracking
Product family extended attributes	Full support includes product family attributes.	<ul style="list-style-type: none"> – Registration Planning and Tracking – Product Detail Management
CT Shared Data	Clinical Trial Shared Data for a product family.	<ul style="list-style-type: none"> – Registration Planning and Tracking – Product Detail Management

License Modules: Products, Pharmaceutical Products

Subfeature	Subfeature Description	License Modules
Product detail	Define consumable products (for example, dosage forms).	<ul style="list-style-type: none"> – Registration Planning and Tracking – Product Detail Management
Pharmaceutical product detail	Define a product used to treat disease (for example medicines or drugs).	<ul style="list-style-type: none"> – Registration Planning and Tracking – Product Detail Management

License Modules: Registrations, Full Product Presentations, Registration FPP Attachments and FPP Previous EV Codes

Subfeature	Subfeature Description	License Modules
Registration detail	Define registration details, including those that vary by country for MRP applications.	<ul style="list-style-type: none"> — Registration Planning and Tracking — Product Detail Management
Copy Package Set Registration	Copy a package set registration. At least <code>WRITE</code> permissions for the Registrations and Full Product Presentation (FPP) (applicable to the <i>New Package Set specific Registration(s)</i> flow) in Entity Security section.	<ul style="list-style-type: none"> — Registration Planning and Tracking — Product Detail Management
Full product presentation detail	Define detailed information about the product (for example Special Measures, Product Strength).	<ul style="list-style-type: none"> — Registration Planning and Tracking — Product Detail Management
FPP previous EV code detail	Define the previous EV code for the full product presentation.	<ul style="list-style-type: none"> — Registration Planning and Tracking — Product Detail Management
Registration FPP attachment detail	Presents an attachment for the detailed product information.	<ul style="list-style-type: none"> — Registration Planning and Tracking — Product Detail Management
Copy full product presentation	Copy a full product presentation under the same registration, or under different registrations. Requires at least <code>WRITE</code> permissions for the Full Product Presentation (FPP) in the Entity Security section.	<ul style="list-style-type: none"> — Registration Planning and Tracking — Product Detail Management
Medicinal Product detail	Medicinal product for registration. At least <code>WRITE</code> permissions for the Medicinal Product in Entity Security section.	<ul style="list-style-type: none"> — Registration Planning and Tracking — Product Detail Management

Subfeature	Subfeature Description	License Modules
Medicinal Product Action detail	<p>Medicinal product action for registration.</p> <p>At least <code>WRITE</code> permissions for the Medicinal Product Action in Entity Security section.</p>	<ul style="list-style-type: none"> – Registration Planning and Tracking – Product Detail Management

License Modules: Registration Attachment

Subfeature	Subfeature Description	License Modules
Registration Attachment	<p>Registration Attachment entity is a Printed Product Information (PPI) attachment type and should be created to later attach it to the Full Product Presentation.</p>	<ul style="list-style-type: none"> – Registration Planning and Tracking – Product Detail Management
Copy registration attachment	<p>Copy a registration attachment.</p> <ul style="list-style-type: none"> – At least <code>WRITE</code> permissions for the Registration Attachment in Entity Security section. – At least <code>WRITE</code> permissions for the Full Product Presentation (FPP) in Entity Security section. 	<ul style="list-style-type: none"> – Registration Planning and Tracking – Product Detail Management

License Modules: Applications

Subfeature	Subfeature Description	License Modules
Application detail	<p>Ability to define overall marketing authorization (for example, NDA)</p>	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Product Detail Management – Registered Document Analysis – Registration Planning and Tracking – Submission Planning and Tracking

Subfeature	Subfeature Description	License Modules
Application Countries tab	Support for European procedures (MRP and CP) including collection of country-specific data (primarily dates) for the application	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Product Detail Management – Submission Planning and Tracking – Registration Planning and Tracking
Copy application	Copy an application	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking – Registered Document Analysis

License Modules: Comparators

Subfeature	Subfeature Description	License Modules
Comparators	Comparators are used in clinical trials to compare the success of a medicine under study to another medicine or placebo.	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking

License Modules: Events

Subfeature	Subfeature Description	License Modules
Event detail	Define initial filing event and other major updates (for example, variations) to an application	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Product Detail Management – Registered Document Analysis – Registration Planning and Tracking – Submission Planning and Tracking
Copy Event Wizard	Copy an event to multiple applications in the product family associated with a source event.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Product Detail Management – Registration Planning and Tracking – Submission Planning and Tracking

Subfeature	Subfeature Description	License Modules
Create Submission wizard	Automates creation of initial applications, major updates and amendments	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Registration Planning and Tracking – Submission Planning and Tracking
Event country status schedule	Define projected event status dates, track status history, and compare actual and planned dates for major milestones	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking

License Modules: Sequences

Subfeature	Subfeature Description	License Modules
Sequence detail	Define filings/amendments (regulatory submission correspondence to authorities in support of an application)	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Registration Planning and Tracking – Submission Planning and Tracking
Sequence status schedule	Define projected sequence status dates, track status history, and compare actual and planned dates for major milestones	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking

License Modules: Product Detail Sets (PDS)

Subfeature	Subfeature Description	License Modules
Product detail set detail	Capture product detail approvals, such as for substance, product, packaging manufacturers, labeling, and product indications.	Product Detail Management
PDS templates	Save PDS information within a product family as a template.	Product Detail Management

License Modules: Assembly Types

Subfeature	Subfeature Description	License Modules
Lifecycle sequence assemblies	Build hierarchical collections of source documents associated with specific regulatory activities and sequences, and add to the current view for lifecycle	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Registered Document Analysis – Submission Planning and Tracking – Paper Review Publishing
Supporting sequence assemblies	Build hierarchical collections of source documents associated with specific regulatory activities and sequences	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking
Standalone assemblies	Build hierarchical collections of source documents for miscellaneous use	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking
Assembly templates	Build an assembly template	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking

License Modules: Activity Workflow

Subfeature	Subfeature Description	License Modules
Activities	Activities are steps within the Workflow that are required to complete the assigned Workflow. Workflows can contain multiple Activities, with dependencies and pre-set values.	Ennov InSight Workflow Integrations

License Modules: Projects

Subfeature	Subfeature Description	License Modules
Global Project Planning (GPP) wizard	Facilitates planning and data entry for multiple countries or applications. At least <code>WRITE</code> privileges for Projects and Events. <i>Home</i> page access security enabled for <i>GPP</i> wizard.	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking

License Modules: Tasks, Notifications, and References

Subfeature	Subfeature Description	License Modules
Task detail	Define hierarchical to-do lists associated with other entities.	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking
Task status schedule	Define the sequence of statuses for a task, and for each status, the projected date when the task first has the status.	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking
Notification detail	Define and automatically send e-mail notifications based on data updates, approvals, and other changes in Ennov InSight .	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking
Reference detail	Associate external documents, URLs, and internal links with entities. Supports correspondence and DMS integration.	<ul style="list-style-type: none"> – Registration Planning and Tracking – Submission Planning and Tracking

License Modules: Change, Change Details

Subfeature	Subfeature Description	License Modules
Change	Defines the actual regulatory change being planned or requested and have specific metadata associated.	Registration Planning and Tracking

Subfeature	Subfeature Description	License Modules
Change details	Capture details of the Change as a sub-entity to the Change entity.	Registration Planning and Tracking

License Modules: Reports

The table includes the reports that you can generate using Ennov InSight queries.

Subfeature	Subfeature Description	License Modules
Querying menu	Run queries and quick search. Not all quick search entities may apply to the module, available queries vary by module. See Queries available by license.	The modules related to the kind of query that you run.
Public/private customized queries	Create both private and public custom queries.	<ul style="list-style-type: none"> — Electronic Lifecycle Publishing — Paper Review Publishing — Product Detail Management — Registered Document Analysis — Registration Planning and Tracking — Submission Planning and Tracking
Ad hoc Reporting	Create and execute ad hoc reports against the Ennov InSight reporting schema.	<ul style="list-style-type: none"> — Product Detail Management — Registered Document Analysis — Registration Planning and Tracking — Submission Planning and Tracking
Specialized assembly queries	Execute specialized queries directly from the assembly tree.	<ul style="list-style-type: none"> — Electronic Lifecycle Publishing — Paper Review Publishing — Registered Document Analysis — Submission Planning and Tracking
Application, Event, Sequence report	Provides information that you select about product families, applications, events, and sequences.	<ul style="list-style-type: none"> — Registration Planning and Tracking — Submission Planning and Tracking

License Modules: Approval Management

Subfeature	Subfeature Description	License Modules
Approved views	Create and view document collections consisting of currently approved versions for a particular country; full support includes ability to create new assemblies from these views	Registered Document Analysis
Update Status wizard	Automate approval of an application or major update	<ul style="list-style-type: none"> – Registered Document Analysis – Registration Planning and Tracking – Submission Planning and Tracking

License Modules: Submittal Management and Lifecycle

Subfeature	Subfeature Description	License Modules
Submitted view	Create and view document collections consisting of currently submitted versions for a particular country. Create and manage eCTD lifecycle. Full support includes ability to create new assemblies from these views.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Registered Document Analysis – Submission Planning and Tracking (does not enable you to create new assemblies)
Change Submittal Status wizard	Automate submittal of an application or major update and creation of lifecycle.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking – Registration Planning and Tracking
Add to/remove from lifecycle	Manually create and manage lifecycle.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Registered Document Analysis
Working view	Assign changes and leaf operations from a cumulative view of the eCTD submission's sequences.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Registered Document Analysis – Submission Planning and Tracking

Subfeature	Subfeature Description	License Modules
Sequence view	View the current cumulative sequence.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking
Publishing view	Publish the current cumulative sequence and add publishing effects.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking

License Modules: General Assembly

Subfeature	Subfeature Description	License Modules
General assembly features and functions	Expand/collapse all, edit hierarchical assembly structure (including lifecycle actions, if applicable), browse or search document repositories and assign documents, retrieve document properties from DMS, view DMS documents, modify assembly attributes, delete assemblies.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking
Import/export	Create an assembly from a template, XML assembly file, or VDM. Export assemblies to XML assembly files and VDMs.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking
Document placeholders	Create a planned document in the assembly.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking
Mass-apply version bindings	Incrementally set bindings across the assembly, including locking the binding to the current version.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking

Subfeature	Subfeature Description	License Modules
View file from document and leaf	Viewing in-place repository, submission, and published content.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking
Document status awareness	Binding icons and View Document List query.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Submission Planning and Tracking
Support and assignment of unfinalized documents	View status of unfinished documents for assembly.	Submission Planning and Tracking

License Modules: Planning and Tracking

Subfeature	Subfeature Description	License Modules
Planning and tracking assembly features and functions	Edit document path and binding information, view/assign related documents, export assembly to Microsoft Excel.	<ul style="list-style-type: none"> – Submission Planning and Tracking – Registration Planning and Tracking
Assembly search and replace	Search and replace text in assembly element attributes for planning and creating templates of document locations and assignments.	Submission Planning and Tracking
Assembly Status query	Provides the current assembly status including performance metrics.	Submission Planning and Tracking

License Modules: Review and Approval

Subfeature	Subfeature Description	License Modules
Review and approval assembly features and functions	Version assemblies with assembly currency.	Submission Planning and Tracking
Incremental locking	Incrementally lock assembly by module and by section or folder hierarchy.	Submission Planning and Tracking

Subfeature	Subfeature Description	License Modules
Assembly baselines and baseline querying	Create baselines for assembly comparison querying.	Submission Planning and Tracking
Assembly reference location	Create and set reference locations and synchronize with DMS.	Submission Planning and Tracking
Assembly status change	Change status of assembly including automatic lock down if assembly is finalized.	Submission Planning and Tracking
Unlock the folder	Unlock the locked assembly folder.	Submission Planning and Tracking

License Modules: Document Analysis

Subfeature	Subfeature Description	License Modules
Document analysis features and functions	Create approved views, query and view registered documents, query and view lifecycle history.	Registered Document Analysis
Where Used query	Determine where a document is used across applications, countries, products, versions, and assemblies. The Output File hyperlink in the Where Used query is supported only for sequence assemblies, not standalone and template assemblies.	<ul style="list-style-type: none"> – Registered Document Analysis – Submission Planning and Tracking

License Modules: General Publishing

Subfeature	Subfeature Description	License Modules
Publishing job queue and audit trail	View the status of all publishing jobs; sort, export, and cancel jobs.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing
Publishing Readiness query, Summary query, Link Inspector, and publishing log	View eCTD conformity and status before and after the publishing job is executed.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing

Subfeature	Subfeature Description	License Modules
Repository export utility	Transfer published output from any repository source to any repository destination (DMS or File/Folder).	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing
Automatic extractions	Create document extractions for use in bookmarks, TOCs, and links automatically upon assignment.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing (with Ennov InSight Rendering only)
Automatic renditions	Create PDF renditions automatically and by request upon publishing or Prepare to Publish when existing renditions are missing or outdated. Requires an additional license for Ennov InSight Rendering.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing (with Ennov InSight Rendering only)

License Modules: eCTD Publishing

Subfeature	Subfeature Description	License Modules
eCTD publishing assembly features and functions	Create eCTD and electronic output, specify assembly-level publishing options for eCTD, links, and variables, change element types to specify leaf-specific publishing properties, request generated published output (eCTD and electronic).	Electronic Lifecycle Publishing
Electronic hyperlinks	Create, retarget, and set channel and settings on hyperlinks.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing
Reference leaf elements	Create leaf elements to reference other leaf elements with querying on referenced leaf elements for a specific submission.	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Registered Document Analysis (query only)
eCTD import and merge	Import one or multiple eCTD sequences; merge eCTD sequences.	Electronic Lifecycle Publishing
Create eCTD wizard	Create or update an eCTD sequence.	Electronic Lifecycle Publishing

Subfeature	Subfeature Description	License Modules
Bulk eCTD Wizard	Migrate multiple eCTD submissions to Ennov InSight from another system in a supported document management system (DMS).	Electronic Lifecycle Publishing
Create Study Reports wizard	Add study reports to an eCTD sequence.	Electronic Lifecycle Publishing
Create Submission Plan Wizard	Create a submission plan and associate entities such as applications, events, and sequences to the submission plan.	<ul style="list-style-type: none"> — Electronic Lifecycle Publishing — Submission Planning and Tracking

License Modules: Paper Publishing

Subfeature	Subfeature Description	License Modules
Paper publishing assembly features and functions	Create paper and electronic output, specify assembly-level publishing options for publishing effects, change folder and document attributes for publishing effects, request published output (paper and electronic).	Paper Review Publishing
Table of contents	Create, edit, generate, and modify TOCs. Access the TOC editor.	<ul style="list-style-type: none"> — Electronic Lifecycle Publishing — Paper Review Publishing
Special sheets	Create, edit, generate, and modify special sheets including slip sheets, tabs, and cover pages.	Paper Review Publishing
Volumes	Create and modify volumes, bulk volumize, move, lock, and manipulate volumes.	Paper Review Publishing
Overlays	Define and use overlays; define page size, shape, scaling, and format for output.	Paper Review Publishing
Paper cross-references	Create, retarget, and set channel, stamp, and settings on paper cross-references.	Paper Review Publishing

License Modules: Administration

Subfeature	Subfeature Description	License Modules
Administration menus (Data, Security and Technical)	<p>Modify data picklists, connect to and define DMS and file system repositories, administer security. Not all options displayed to an administrator are available in all modules. For example, picklist options for data admin may not be displayed in an application.</p> <p>Notification administration does not apply to all modules. Includes all audit trail querying.</p>	<ul style="list-style-type: none"> – Electronic Lifecycle Publishing – Paper Review Publishing – Registered Document Analysis – Registration Planning and Tracking – Product Detail Management – Submission Planning and Tracking

Index

C

Comments [64](#)
Common [1](#), [42](#), [53](#), [68–83](#)

N

Navigation [2–11](#), [16](#), [23–25](#), [28–31](#), [34–38](#), [41](#), [42](#), [52](#), [54–57](#), [65](#)
Notifications [14–18](#), [22–24](#), [26](#)

Q

Querying [31](#), [32](#), [58–63](#)

R

References [57](#)

S

Search [39](#), [40](#)
Security Admin [66](#)

W

Wizards [21](#)
Workflow [13](#)